

(1, 1, 1, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
153	1	0	15	3	266	7	-	28	3
154	1	0	15	3	237	6	-	24	3
155	1	0	15	3	223	8	-	22	3
156	1	0	22	22	377	11	2	62	2
157	1	0	22	22	320	14	2	56	3
158	1	0	20	20	314	12	2	52	2
159	1	0	16	16	308	14	2	44	3
160	1	0	16	16	306	12	2	44	3
161	1	0	16	16	286	9	0	42	3
162	1	0	16	16	273	8	0	36	3
163	1	0	16	16	272	14	2	40	3
164	1	0	16	16	245	11	2	38	3
165	1	0	16	16	238	9	0	30	3
166	1	0	16	16	213	11	2	30	3
167	1	0	14	14	337	13	2	48	3
168	1	0	14	14	313	11	2	46	2
169	1	0	14	14	304	14	2	40	3
170	1	0	14	14	301	13	2	40	4
171	1	0	14	14	299	11	2	40	3
172	1	0	14	14	294	12	2	44	3
173	1	0	14	14	281	11	2	38	3
174	1	0	14	14	268	14	2	36	3
175	1	0	14	14	257	6	0	34	3
176	1	0	14	14	253	10	0	30	4
177	1	0	14	14	252	7	0	32	3
178	1	0	14	14	247	6	0	34	2
179	1	0	14	14	245	8	0	32	2
180	1	0	14	14	242	12	2	34	3
181	1	0	14	14	239	6	0	32	2
182	1	0	14	14	237	8	0	30	3
183	1	0	14	14	235	6	0	34	2
184	1	0	14	14	234	9	0	26	3
185	1	0	14	14	223	6	0	28	3
186	1	0	14	14	217	8	0	28	3
187	1	0	14	14	209	8	0	26	3
188	1	0	14	14	201	8	0	24	3
189	1	0	12	12	330	19	4	42	4
190	1	0	12	12	300	14	2	36	3
191	1	0	12	12	298	12	2	36	3
192	1	0	12	12	293	13	2	40	3

(1, 1, 1, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
193	1	0	12	12	288	11	0	30	3
194	1	0	12	12	278	9	0	34	3
195	1	0	12	12	269	11	2	38	3
196	1	0	12	12	264	14	2	32	3
197	1	0	12	12	258	12	2	32	3
198	1	0	12	12	256	7	0	30	3
199	1	0	12	12	255	11	2	32	4
200	1	0	12	12	252	11	0	26	3
201	1	0	12	12	251	6	0	32	4
202	1	0	12	12	248	7	0	28	3
203	1	0	12	12	244	18	2	24	3
204	1	0	12	12	243	8	0	26	3
205	1	0	12	12	243	6	0	30	3
206	1	0	12	12	242	9	0	28	3
207	1	0	12	12	238	12	2	30	3
208	1	0	12	12	237	11	2	30	4
209	1	0	12	12	235	6	0	28	3
210	1	0	12	12	227	6	0	26	3
211	1	0	12	12	225	8	0	24	3
212	1	0	12	12	223	11	2	24	4
213	1	0	12	12	223	6	0	28	3
214	1	0	12	12	221	13	2	28	3
215	1	0	12	12	219	6	0	24	3
216	1	0	12	12	217	11	2	28	3
217	1	0	12	12	215	6	0	26	3
218	1	0	12	12	207	6	0	24	3
219	1	0	10	10	314	20	2	32	3
220	1	0	10	10	296	14	2	32	4
221	1	0	10	10	286	12	2	36	3
222	1	0	10	10	274	9	0	30	3
223	1	0	10	10	270	12	2	32	3
224	1	0	10	10	265	11	2	34	3
225	1	0	10	10	255	6	0	30	3
226	1	0	10	10	252	7	0	26	3
227	1	0	10	10	249	11	2	30	3
228	1	0	10	10	247	6	0	28	4
229	1	0	10	10	245	11	2	32	3
230	1	0	10	10	244	7	0	24	3
231	1	0	10	10	239	6	0	26	3
232	1	0	10	10	238	9	0	24	3

(1, 1, 1, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
233	1	0	10	10	235	6	0	28	3
234	1	0	10	10	234	12	2	26	3
235	1	0	10	10	233	11	2	26	3
236	1	0	10	10	232	18	2	24	4
237	1	0	10	10	231	6	0	24	3
238	1	0	10	10	229	11	2	28	4
239	1	0	10	10	223	6	0	22	3
240	1	0	10	10	219	6	0	24	3
241	1	0	10	10	217	8	0	22	3
242	1	0	10	10	211	6	0	22	3
243	1	0	8	8	292	14	2	28	4
244	1	0	8	8	282	12	2	32	4
245	1	0	8	8	270	9	0	26	3
246	1	0	8	8	266	12	2	28	3
247	1	0	8	8	263	11	2	28	3
248	1	0	8	8	246	12	2	26	3
249	1	0	8	8	243	6	0	24	3
250	1	0	8	8	227	6	0	20	3
251	1	0	8	8	225	11	2	24	3
252	1	0	8	8	223	11	2	24	4
253	1	0	8	8	223	6	0	22	3
254	1	0	8	8	215	6	0	20	3
255	1	0	6	6	257	11	2	26	3
256	1	0	6	6	237	11	2	24	3
257	1	0	6	6	226	12	2	18	4
258	1	2	12	-	246	13	-	-	3
259	1	2	12	-	196	11	-	-	3
260	1	2	12	-	193	10	-	-	3
261	2	1	12	12	180	14	-	-	3
262	2	1	12	12	174	11	-	-	4
263	2	1	12	12	168	8	-	-	3
264	2	1	12	12	166	7	-	-	3
265	2	1	6	6	180	14	-	-	4
266	2	1	6	6	168	8	-	-	4
267	2	0	16	16	236	19	4	44	3
268	2	0	16	16	216	14	2	40	3
269	2	0	16	16	214	13	2	40	2
270	2	0	12	12	220	20	2	32	3
271	2	0	12	12	216	18	2	32	3
272	2	0	12	12	212	17	0	28	4

(1, 1, 1, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
273	2	0	12	12	208	15	0	28	4
274	2	0	12	12	200	11	0	28	3
275	2	0	12	12	196	9	0	28	3
276	2	0	12	12	194	8	0	28	3
277	2	0	8	8	220	19	4	28	4
278	2	0	8	8	212	20	2	24	3
279	2	0	8	8	208	18	2	24	4
280	2	0	8	8	200	14	2	24	3
281	2	0	8	8	198	13	2	24	4
282	2	0	8	8	192	11	0	20	3
283	2	0	8	8	188	9	0	20	4
284	2	0	8	8	186	8	0	20	3
285	2	0	8	8	182	6	0	20	4
286	2	0	6	6	192	12	2	20	3
287	2	0	6	6	190	11	2	20	3
288	2	0	4	4	192	14	2	16	4
289	2	2	20	-	148	17	-	-	3
290	2	2	20	-	140	13	-	-	3
291	2	2	20	-	136	11	-	-	2
292	2	2	20	-	134	10	-	-	2
293	2	2	8	-	200	31	-	-	4
294	2	2	8	-	172	17	-	-	3
295	2	2	8	-	164	13	-	-	3
296	2	2	8	-	160	11	-	-	3
297	4	2	-	-	-	31	-	-	4
298	4	4	-	-	-	24	-	-	3

(1, 1, 2, 2, 2, 10)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	46	10	235	5	-	-	1
2	1	1	40	4	223	5	-	-	2
3	1	1	35	11	228	6	-	-	2
4	1	1	19	19	226	8	-	-	2
5	1	0	48	0	218	11	-	40	2
6	1	0	28	4	258	7	-	38	2
7	1	0	25	13	267	6	-	44	2
8	1	0	23	11	259	6	-	40	2

(1, 1, 2, 2, 2, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
9	1	0	20	20	303	6	0	54	2
10	1	0	18	18	321	8	1	51	2
11	1	0	16	16	348	9	1	55	3
12	1	0	16	16	308	16	2	42	3
13	1	0	14	14	305	8	1	43	3
14	1	0	12	12	358	10	2	48	2
15	1	0	8	8	438	12	3	57	3
16	2	0	16	16	228	16	3	42	3
17	2	0	8	8	184	12	2	24	3
18	2	0	0	0	376	6	6	40	3
19	2	2	20	-	136	9	-	-	2
20	2	2	12	-	144	13	-	-	3

(1, 1, 2, 2, 2, 10*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	2	0	16	16	288	36	6	48	4
2	2	0	16	16	248	25	4	44	3
3	2	0	16	16	228	18	3	42	3
4	2	0	16	16	224	18	2	40	4
5	2	0	16	16	216	14	2	40	3
6	2	2	20	-	160	23	-	-	3
7	2	2	20	-	144	15	-	-	3
8	2	2	20	-	136	11	-	-	2
9	4	0	-	-	-	20	6	-	4
10	4	0	-	-	-	14	10	-	5
11	4	0	-	-	-	8	14	-	5
12	4	4	-	-	-	36	-	-	4
13	4	4	-	-	-	20	-	-	3

(1, 1, 2, 2, 4, 4)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	51	3	260	10	-	-	2
2	1	1	51	3	252	6	-	-	1
3	1	1	35	11	231	7	-	-	2
4	1	1	31	7	220	6	-	-	2
5	1	1	19	19	244	10	-	-	2
6	1	1	19	19	204	6	-	-	2
7	1	0	48	0	255	14	-	42	2
8	1	0	48	0	234	19	-	42	2
9	1	0	32	8	274	7	-	46	2
10	1	0	32	8	248	9	-	38	2
11	1	0	28	4	258	7	-	38	2
12	1	0	28	4	232	9	-	30	2
13	1	0	16	16	398	14	2	56	2
14	1	0	16	16	390	10	2	56	2
15	1	0	16	16	351	21	2	44	3
16	1	0	16	16	271	13	2	40	2
17	1	0	16	16	258	7	0	38	2
18	1	0	16	16	244	13	0	30	2
19	1	0	12	12	361	11	2	48	3
20	1	0	12	12	358	10	2	48	2
21	1	0	12	12	332	12	2	40	2
22	1	0	8	8	367	16	4	42	3
23	1	0	8	8	326	10	2	40	3
24	2	0	16	16	250	26	4	44	3
25	2	0	16	16	236	17	4	44	3
26	2	0	16	16	216	12	2	40	2
27	2	0	16	16	52	34	2	16	4
28	2	0	8	8	200	20	2	24	3
29	2	0	8	8	184	12	2	24	3
30	2	0	0	0	412	11	8	44	4
31	2	0	0	0	388	12	6	40	3
32	2	0	0	0	380	8	6	40	4
33	2	0	0	0	376	6	6	40	3
34	2	2	20	-	148	15	-	-	3
35	2	2	20	-	146	16	-	-	2
36	2	2	20	-	140	11	-	-	3
37	2	2	20	-	136	9	-	-	2
38	2	2	12	-	136	9	-	-	3
39	2	2	4	-	148	15	-	-	3
40	4	0	-	-	-	16	10	-	4

(1, 1, 2, 2, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	4	4	-	-	-	22	-	-	3

(1, 2, 2, 2, 2, 4)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	61	1	261	7	-	-	1
2	1	1	51	3	259	9	-	-	2
3	1	1	31	7	255	13	-	-	2
4	1	1	31	7	243	9	-	-	2
5	1	1	25	13	237	7	-	-	2
6	1	1	21	9	229	7	-	-	3
7	1	1	19	19	243	9	-	-	2
8	1	1	11	11	227	9	-	-	3
9	1	0	48	0	267	12	-	48	2
10	1	0	48	0	233	18	-	42	2
11	1	0	48	0	165	30	-	30	4
12	1	0	38	2	291	8	-	46	2
13	1	0	28	4	281	10	-	38	2
14	1	0	26	14	291	8	-	46	2
15	1	0	22	10	275	8	-	38	2
16	1	0	18	6	259	8	-	30	3
17	1	0	20	20	349	10	1	55	2
18	1	0	16	16	397	13	2	56	2
19	1	0	16	16	329	25	2	44	3
20	1	0	16	16	299	16	1	41	3
21	1	0	16	16	281	10	0	38	3
22	1	0	16	16	235	12	0	32	3
23	1	0	16	16	201	18	0	26	3
24	1	0	12	12	317	10	1	39	3
25	1	0	8	8	493	16	4	58	3
26	1	0	8	8	365	13	2	40	3
27	2	0	16	16	250	24	4	44	3
28	2	0	16	16	248	25	4	44	3
29	2	0	16	16	228	18	3	42	3
30	2	0	16	16	224	18	2	40	3
31	2	0	16	16	216	14	2	40	3
32	2	0	16	16	90	48	4	20	4
33	2	0	16	16	50	33	2	16	3

(1, 2, 2, 2, 2, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
34	2	0	8	8	194	17	2	24	3
35	2	0	0	0	426	18	8	44	4
36	2	0	0	0	186	24	4	12	4
37	2	2	20	-	160	23	-	-	3
38	2	2	20	-	146	14	-	-	2
39	2	2	20	-	144	15	-	-	3
40	2	2	20	-	136	11	-	-	2
41	2	2	12	-	162	22	-	-	3
42	2	2	4	-	146	14	-	-	3
43	4	4	-	-	-	36	-	-	4
44	4	4	-	-	-	20	-	-	3

(2, 2, 2, 2, 2, 2)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	90	0	285	5	-	-	1
2	1	1	61	1	260	6	-	-	2
3	1	1	54	0	249	5	-	-	2
4	1	1	51	3	258	8	-	-	3
5	1	1	42	0	237	5	-	-	3
6	1	1	39	3	246	8	-	-	2
7	1	1	37	1	236	6	-	-	2
8	1	1	30	0	225	5	-	-	3
9	1	1	31	7	254	12	-	-	3
10	1	1	31	7	242	8	-	-	2
11	1	1	27	3	270	20	-	-	3
12	1	1	27	3	246	12	-	-	3
13	1	1	27	3	234	8	-	-	3
14	1	1	25	1	230	8	-	-	3
15	1	1	27	9	231	5	-	-	2
16	1	1	22	4	221	5	-	-	3
17	1	1	25	13	236	6	-	-	2
18	1	1	21	9	228	6	-	-	3
19	1	1	19	7	230	8	-	-	3
20	1	1	19	7	224	6	-	-	3
21	1	1	17	5	238	12	-	-	3
22	1	1	17	5	220	6	-	-	3
23	1	1	15	3	222	8	-	-	4

(2, 2, 2, 2, 2, 2) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
24	1	1	17	11	223	5	-	-	3
25	1	1	15	9	219	5	-	-	4
26	1	1	14	8	217	5	-	-	4
27	1	1	12	6	213	5	-	-	3
28	1	1	6	0	201	5	-	-	4
29	1	1	19	19	242	8	-	-	3
30	1	1	15	15	270	20	-	-	3
31	1	1	15	15	234	8	-	-	3
32	1	1	13	13	230	8	-	-	3
33	1	1	11	11	238	12	-	-	3
34	1	1	11	11	226	8	-	-	3
35	1	1	11	11	220	6	-	-	4
36	1	1	9	9	222	8	-	-	3
37	1	1	9	9	216	6	-	-	3
38	1	1	5	5	208	6	-	-	4
39	1	1	3	3	210	8	-	-	4
40	1	0	48	0	266	11	-	48	2
41	1	0	48	0	232	17	-	42	3
42	1	0	48	0	164	29	-	30	3
43	1	0	48	0	108	45	-	18	4
44	1	0	42	6	303	6	-	54	2
45	1	0	38	2	290	7	-	46	2
46	1	0	41	11	311	6	-	58	2
47	1	0	32	2	275	6	-	40	2
48	1	0	31	1	271	6	-	38	3
49	1	0	30	6	282	7	-	42	2
50	1	0	28	4	280	9	-	38	3
51	1	0	28	4	274	7	-	38	2
52	1	0	28	4	240	13	-	32	3
53	1	0	28	4	234	11	-	32	3
54	1	0	28	4	212	21	-	26	3
55	1	0	28	4	200	17	-	26	3
56	1	0	28	4	132	29	-	14	4
57	1	0	26	2	272	9	-	34	3
58	1	0	26	2	266	7	-	34	3
59	1	0	24	0	276	13	-	30	3
60	1	0	24	0	264	9	-	30	3
61	1	0	24	0	264	9	-	30	3
62	1	0	24	0	258	7	-	30	3
63	1	0	24	0	258	7	-	30	3

(2, 2, 2, 2, 2, 2) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
64	1	0	24	0	224	13	-	24	5
65	1	0	24	0	218	11	-	24	3
66	1	0	27	9	279	6	-	42	3
67	1	0	25	7	271	6	-	38	3
68	1	0	24	6	267	6	-	36	2
69	1	0	23	5	263	6	-	34	3
70	1	0	22	4	259	6	-	32	3
71	1	0	21	3	255	6	-	30	3
72	1	0	20	2	251	6	-	28	4
73	1	0	19	1	247	6	-	26	4
74	1	0	26	14	290	7	-	46	3
75	1	0	22	10	274	7	-	38	3
76	1	0	22	10	271	6	-	38	3
77	1	0	20	8	272	9	-	34	3
78	1	0	20	8	266	7	-	34	3
79	1	0	18	6	276	13	-	30	3
80	1	0	18	6	258	7	-	30	3
81	1	0	18	6	255	6	-	30	3
82	1	0	18	6	224	13	-	24	3
83	1	0	18	6	218	11	-	24	3
84	1	0	18	6	184	17	-	18	4
85	1	0	16	4	256	9	-	26	3
86	1	0	16	4	250	7	-	26	3
87	1	0	16	4	250	7	-	26	3
88	1	0	16	4	247	6	-	26	4
89	1	0	14	2	242	7	-	22	3
90	1	0	23	17	287	6	-	46	2
91	1	0	20	14	275	6	-	40	2
92	1	0	17	11	263	6	-	34	3
93	1	0	16	10	259	6	-	32	3
94	1	0	15	9	255	6	-	30	3
95	1	0	14	8	251	6	-	28	3
96	1	0	13	7	247	6	-	26	3
97	1	0	12	6	243	6	-	24	4
98	1	0	11	5	239	6	-	22	3
99	1	0	9	3	231	6	-	18	4
100	1	0	30	30	385	8	1	75	2
101	1	0	20	20	406	10	2	64	2
102	1	0	20	20	348	9	1	55	3
103	1	0	18	18	337	8	1	51	3

(2, 2, 2, 2, 2, 2) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
104	1	0	16	16	396	12	2	56	3
105	1	0	16	16	356	16	2	50	3
106	1	0	16	16	328	24	2	44	3
107	1	0	16	16	298	15	1	41	3
108	1	0	16	16	280	9	0	38	3
109	1	0	16	16	272	40	2	32	4
110	1	0	16	16	234	11	0	32	3
111	1	0	16	16	200	17	0	26	3
112	1	0	16	16	132	29	0	14	4
113	1	0	16	16	100	47	4	14	4
114	1	0	14	14	321	8	1	43	3
115	1	0	14	14	272	9	0	34	3
116	1	0	14	14	266	7	0	34	3
117	1	0	12	12	438	12	3	57	3
118	1	0	12	12	374	10	2	48	3
119	1	0	12	12	362	7	0	42	3
120	1	0	12	12	328	13	0	36	3
121	1	0	12	12	322	11	1	39	3
122	1	0	12	12	316	9	1	39	3
123	1	0	12	12	313	8	1	39	3
124	1	0	12	12	312	24	2	36	4
125	1	0	12	12	300	21	0	30	4
126	1	0	12	12	294	19	1	33	4
127	1	0	12	12	288	16	2	36	3
128	1	0	12	12	282	15	1	33	4
129	1	0	12	12	276	13	0	30	3
130	1	0	12	12	276	12	2	36	4
131	1	0	12	12	270	10	2	36	3
132	1	0	12	12	264	9	0	30	3
133	1	0	12	12	264	9	0	30	3
134	1	0	12	12	258	7	0	30	3
135	1	0	12	12	258	7	0	30	3
136	1	0	12	12	236	16	2	30	3
137	1	0	12	12	224	13	0	24	4
138	1	0	12	12	218	11	0	24	3
139	1	0	12	12	208	24	2	24	4
140	1	0	10	10	305	8	1	35	4
141	1	0	10	10	256	9	0	26	3
142	1	0	10	10	250	7	0	26	3
143	1	0	10	10	250	7	0	26	3

(2, 2, 2, 2, 2, 2) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
144	1	0	10	10	247	6	0	26	4
145	1	0	8	8	492	15	4	58	3
146	1	0	8	8	436	31	4	46	4
147	1	0	8	8	410	11	1	43	4
148	1	0	8	8	394	20	3	43	4
149	1	0	8	8	382	19	1	37	4
150	1	0	8	8	376	16	2	40	3
151	1	0	8	8	364	12	2	40	3
152	1	0	8	8	358	10	2	40	3
153	1	0	8	8	352	9	0	34	4
154	1	0	8	8	346	7	0	34	3
155	1	0	8	8	324	16	2	34	4
156	1	0	8	8	318	12	3	37	4
157	1	0	8	8	312	13	0	28	4
158	1	0	8	8	306	11	1	31	4
159	1	0	8	8	300	9	1	31	4
160	1	0	8	8	297	8	1	31	4
161	1	0	8	8	296	24	2	28	4
162	1	0	8	8	290	20	3	31	4
163	1	0	8	8	278	16	3	31	4
164	1	0	8	8	272	16	2	28	4
165	1	0	8	8	266	15	1	25	4
166	1	0	8	8	264	34	6	28	7
167	1	0	8	8	260	12	2	28	3
168	1	0	8	8	260	12	2	28	3
169	1	0	8	8	254	10	2	28	3
170	1	0	8	8	248	9	0	22	3
171	1	0	8	8	242	7	0	22	3
172	1	0	8	8	239	6	0	22	6
173	1	0	8	8	220	16	2	22	4
174	1	0	8	8	204	23	4	22	5
175	1	0	8	8	202	11	0	16	4
176	1	0	8	8	168	17	0	10	4
177	1	0	6	6	289	8	1	27	4
178	1	0	6	6	234	7	0	18	4
179	1	0	4	4	464	16	2	44	5
180	1	0	4	4	406	12	3	41	4
181	1	0	4	4	394	11	1	35	4
182	1	0	4	4	378	20	3	35	4
183	1	0	4	4	372	15	4	38	5

(2, 2, 2, 2, 2, 2) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
184	1	0	4	4	348	12	2	32	4
185	1	0	4	4	342	10	2	32	3
186	1	0	4	4	330	7	0	26	3
187	1	0	4	4	308	16	2	26	7
188	1	0	4	4	304	18	6	32	4
189	1	0	4	4	302	12	3	29	4
190	1	0	4	4	292	23	4	26	8
191	1	0	4	4	284	9	1	23	4
192	1	0	4	4	262	16	3	23	4
193	1	0	4	4	244	12	2	20	4
194	1	0	4	4	238	10	2	20	3
195	1	0	0	0	600	18	6	60	5
196	1	0	0	0	460	15	4	42	4
197	1	0	0	0	428	17	8	42	6
198	1	0	0	0	390	12	3	33	4
199	1	0	0	0	386	10	7	39	4
200	1	0	0	0	368	10	6	36	8
201	1	0	0	0	356	6	6	36	4
202	1	0	0	0	332	12	2	24	4
203	1	0	0	0	256	12	10	24	7
204	1	2	10	-	240	21	-	-	4
205	1	2	10	-	216	13	-	-	3
206	1	2	10	-	204	9	-	-	4
207	1	2	6	-	216	13	-	-	5
208	1	2	6	-	204	9	-	-	3
209	1	4	-	-	240	18	-	-	4
210	2	1	10	10	180	20	-	-	4
211	2	1	10	10	164	12	-	-	3
212	2	1	10	10	156	8	-	-	4
213	2	1	6	6	156	12	-	-	4
214	2	1	6	6	148	8	-	-	3
215	2	0	16	16	288	34	6	48	4
216	2	0	16	16	248	23	4	44	3
217	2	0	16	16	228	16	3	42	3
218	2	0	16	16	224	16	2	40	3
219	2	0	16	16	216	12	2	40	3
220	2	0	16	16	144	66	6	24	5
221	2	0	16	16	88	47	4	20	4
222	2	0	16	16	72	45	0	12	5
223	2	0	16	16	64	40	2	16	4

(2, 2, 2, 2, 2, 2) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
224	2	0	16	16	48	32	2	16	3
225	2	0	12	12	24	29	0	4	4
226	2	0	8	8	256	34	6	32	4
227	2	0	8	8	240	40	2	24	4
228	2	0	8	8	232	31	4	28	4
229	2	0	8	8	216	23	4	28	4
230	2	0	8	8	208	24	2	24	4
231	2	0	8	8	204	20	3	26	4
232	2	0	8	8	200	21	0	20	5
233	2	0	8	8	196	19	1	22	4
234	2	0	8	8	196	16	3	26	4
235	2	0	8	8	192	16	2	24	3
236	2	0	8	8	192	16	2	24	3
237	2	0	8	8	188	15	1	22	4
238	2	0	8	8	184	13	0	20	4
239	2	0	8	8	184	12	2	24	3
240	2	0	8	8	176	9	0	20	3
241	2	0	8	8	48	34	6	8	4
242	2	0	4	4	192	24	2	16	8
243	2	0	4	4	184	15	4	20	4
244	2	0	4	4	172	15	1	14	4
245	2	0	4	4	160	9	0	12	4
246	2	0	0	0	480	28	10	48	5
247	2	0	0	0	424	17	8	44	4
248	2	0	0	0	408	31	4	36	5
249	2	0	0	0	400	18	6	40	5
250	2	0	0	0	396	10	7	42	4
251	2	0	0	0	384	10	6	40	4
252	2	0	0	0	380	20	3	34	4
253	2	0	0	0	376	6	6	40	3
254	2	0	0	0	368	16	2	32	5
255	2	0	0	0	360	12	2	32	5
256	2	0	0	0	224	34	6	16	5
257	2	0	0	0	216	17	8	20	7
258	2	0	0	0	184	23	4	12	4
259	2	0	0	0	160	16	2	8	4
260	2	2	20	-	160	21	-	-	3
261	2	2	20	-	144	13	-	-	3
262	2	2	20	-	136	9	-	-	2
263	2	2	12	-	192	37	-	-	4

(2, 2, 2, 2, 2, 2) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
264	2	2	12	-	160	21	-	-	3
265	2	2	12	-	144	13	-	-	3
266	2	2	12	-	136	9	-	-	3
267	2	2	4	-	160	21	-	-	5
268	2	2	4	-	144	13	-	-	3
269	2	4	-	-	192	34	-	-	4
270	4	1	-	-	-	20	-	-	5
271	4	0	-	-	-	66	6	-	5
272	4	0	-	-	-	34	6	-	5
273	4	0	-	-	-	28	10	-	5
274	4	0	-	-	-	18	6	-	4
275	4	0	-	-	-	12	10	-	4
276	4	0	-	-	-	6	14	-	5
277	4	0	-	-	-	0	18	-	6
278	4	2	-	-	-	37	-	-	4
279	4	4	-	-	-	66	-	-	5
280	4	4	-	-	-	34	-	-	4
281	4	4	-	-	-	18	-	-	3

(1, 1, 2, 11, 154)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	71	71	536	4	-	-	1
2	1	0	48	48	712	7	1	131	2

(1, 1, 2, 12, 82)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	76	40	440	4	-	-	1
2	1	1	45	45	350	4	-	-	2
3	1	0	74	2	442	5	-	90	2
4	1	0	53	17	430	5	-	84	2
5	1	0	38	38	602	7	1	111	2

(1, 1, 2, 13, 58)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	86	26	426	4	-	-	1
2	1	1	35	35	314	4	-	-	2
3	1	0	72	0	358	5	-	70	2
4	1	0	54	6	370	5	-	70	2
5	1	0	39	27	380	5	-	74	2
6	1	0	38	38	564	7	1	101	2
7	1	0	24	24	414	7	1	65	2
8	1	0	24	24	386	7	1	59	2
9	1	0	22	22	410	7	1	65	2
10	1	0	20	20	398	7	1	63	2

(1, 1, 2, 14, 46)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	86	26	426	4	-	-	1
2	1	1	56	20	308	4	-	-	2
3	1	1	45	45	344	4	-	-	3
4	1	0	63	3	400	5	-	80	2
5	1	0	50	2	332	5	-	58	3
6	1	0	48	0	304	5	-	44	3
7	1	0	49	13	368	5	-	68	2
8	1	0	44	20	400	5	-	80	2
9	1	0	42	18	340	5	-	64	2
10	1	0	38	38	564	7	1	101	2
11	1	0	30	30	380	5	0	82	2
12	1	0	24	24	372	7	1	59	3
13	1	0	22	22	442	7	1	77	3
14	1	0	20	20	404	7	1	71	4
15	1	0	18	18	312	5	0	48	2
16	1	0	16	16	348	7	1	43	4
17	1	0	4	4	364	7	1	51	3

(1, 1, 2, 16, 34)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	100	16	440	4	-	-	1
2	1	1	56	20	306	4	-	-	2
3	1	1	55	31	330	4	-	-	2
4	1	1	43	19	288	4	-	-	2
5	1	1	23	23	224	4	-	-	2
6	1	0	63	3	400	5	-	80	2
7	1	0	61	1	328	5	-	62	2
8	1	0	58	10	380	5	-	74	2
9	1	0	52	4	334	5	-	62	2
10	1	0	48	0	318	5	-	54	2
11	1	0	41	5	316	5	-	56	2
12	1	0	36	12	302	5	-	50	2
13	1	0	34	10	300	5	-	48	2
14	1	0	30	6	298	5	-	42	3
15	1	0	35	23	388	5	-	74	2
16	1	0	33	21	336	5	-	58	2
17	1	0	27	15	300	5	-	46	2
18	1	0	27	15	288	5	-	42	2
19	1	0	25	13	294	5	-	44	2
20	1	0	38	38	602	7	1	111	2
21	1	0	32	32	358	5	0	74	2
22	1	0	32	32	346	5	0	74	2
23	1	0	28	28	454	7	1	81	3
24	1	0	24	24	428	7	1	79	2
25	1	0	24	24	376	7	1	59	2
26	1	0	24	24	326	5	0	62	3
27	1	0	22	22	366	7	1	57	2
28	1	0	22	22	302	5	0	46	2
29	1	0	20	20	372	7	1	59	2
30	1	0	18	18	374	7	1	57	2
31	1	0	16	16	312	7	1	47	3

(1, 1, 2, 16*, 34)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	46	10	234	4	-	-	2
2	1	1	27	27	242	4	-	-	3
3	1	0	41	5	286	5	-	50	3
4	1	0	26	26	340	5	0	74	3
5	1	0	18	18	328	7	1	53	3
6	1	0	16	16	350	7	1	57	3
7	1	0	16	16	296	5	0	46	3
8	1	0	14	14	312	7	1	41	3
9	1	0	12	12	370	7	1	65	3
10	1	0	8	8	330	7	1	41	4

(1, 1, 2, 18, 28)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	55	31	330	4	-	-	1
2	1	1	31	31	270	4	-	-	2
3	1	0	52	4	358	5	-	70	2
4	1	0	40	16	338	5	-	64	2
5	1	0	28	28	454	7	1	81	2
6	1	0	16	16	390	7	1	63	3

(1, 1, 2, 18, 28*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	2	0	16	16	226	17	3	42	3
2	2	2	20	-	134	10	-	-	2

(1, 1, 2, 19, 26)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	41	41	316	4	-	-	1
2	1	0	28	28	416	7	1	71	2

(1, 1, 2, 22, 22)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	131	11	536	4	-	-	1
2	1	1	81	9	344	4	-	-	2
3	1	1	69	21	344	4	-	-	2
4	1	1	59	11	312	4	-	-	2
5	1	1	41	41	316	4	-	-	2
6	1	1	31	31	268	4	-	-	2
7	1	1	27	27	264	4	-	-	3
8	1	1	23	23	224	4	-	-	2
9	1	0	74	2	442	5	-	90	2
10	1	0	63	3	364	5	-	70	2
11	1	0	62	14	442	5	-	90	2
12	1	0	54	6	318	5	-	58	2
13	1	0	52	4	358	5	-	70	2
14	1	0	52	4	302	5	-	54	2
15	1	0	50	2	298	5	-	54	3
16	1	0	48	0	318	5	-	54	2
17	1	0	48	0	314	5	-	54	2
18	1	0	45	9	312	5	-	56	2
19	1	0	41	5	308	5	-	54	2
20	1	0	41	5	300	5	-	48	2
21	1	0	44	20	418	5	-	78	2
22	1	0	42	18	336	5	-	64	2
23	1	0	40	16	350	5	-	70	2
24	1	0	36	12	312	5	-	52	2
25	1	0	39	27	376	5	-	74	2
26	1	0	27	15	308	5	-	52	2
27	1	0	27	15	284	5	-	42	2
28	1	0	25	13	288	5	-	42	2
29	1	0	48	48	712	7	1	131	2
30	1	0	28	28	492	7	1	91	3
31	1	0	26	26	358	5	0	70	2
32	1	0	26	26	314	5	0	58	2
33	1	0	24	24	408	7	1	63	3
34	1	0	24	24	364	7	1	59	3
35	1	0	24	24	344	7	1	55	3
36	1	0	24	24	302	5	0	54	2
37	1	0	22	22	404	7	1	65	2
38	1	0	22	22	390	7	1	61	2
39	1	0	20	20	392	7	1	71	3
40	1	0	20	20	348	7	1	55	3

(1, 1, 2, 22, 22) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	1	0	20	20	302	5	0	46	2
42	1	0	20	20	294	5	0	46	2
43	1	0	16	16	388	7	1	63	3
44	1	0	16	16	344	7	1	55	3
45	1	0	16	16	332	7	1	51	3
46	1	0	16	16	312	7	1	47	3
47	1	0	14	14	348	7	1	51	3
48	1	0	14	14	330	7	1	45	3

(1, 1, 3, 6, 118)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	55	55	414	4	-	-	1
2	1	1	39	39	330	4	-	-	2
3	1	0	32	32	404	5	0	78	2
4	1	0	32	32	354	7	0	66	2

(1, 1, 3, 7, 43)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	67	19	334	4	-	-	1
2	1	1	31	31	286	4	-	-	2
3	1	0	52	4	316	5	-	58	2
4	1	0	32	32	360	5	0	74	2
5	1	0	24	24	328	5	0	54	2

(1, 1, 3, 8, 28)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	67	19	328	4	-	-	1
2	1	1	55	7	270	4	-	-	2
3	1	0	48	0	256	5	-	40	2
4	1	0	28	28	322	5	0	64	2
5	1	0	16	16	316	5	0	46	2

(1, 1, 3, 10, 18)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	31	31	256	4	-	-	1
2	1	1	23	23	240	4	-	-	2
3	1	0	24	24	302	5	0	54	2

(1, 1, 3, 10*, 18)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	2	0	16	16	226	17	3	42	3
2	2	2	20	-	134	10	-	-	2

(1, 1, 3, 13, 13)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	103	7	402	4	-	-	1
2	1	1	55	7	270	4	-	-	2
3	1	1	31	31	254	4	-	-	2
4	1	0	52	4	300	5	-	56	2
5	1	0	48	0	242	5	-	38	2
6	1	0	28	28	320	5	0	64	2
7	1	0	16	16	258	5	0	36	2
8	1	0	16	16	240	5	0	30	2

(1, 1, 4, 5, 40)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	65	17	336	4	-	-	1
2	1	1	47	23	321	5	-	-	2
3	1	1	35	35	332	6	-	-	2
4	1	0	72	0	348	7	-	68	2
5	1	0	48	0	429	8	-	78	2
6	1	0	42	18	394	5	-	70	2
7	1	0	36	12	382	5	-	64	2
8	1	0	24	24	409	11	2	68	2
9	2	2	20	-	134	10	-	-	2

(1, 1, 4, 6, 22)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	70	10	308	4	-	-	1
2	1	1	52	16	285	5	-	-	2
3	1	1	48	12	256	4	-	-	2
4	1	1	43	19	292	6	-	-	2
5	1	1	43	19	276	4	-	-	2
6	1	1	37	13	224	4	-	-	2
7	1	1	35	11	212	6	-	-	2
8	1	1	36	24	285	5	-	-	2
9	1	0	61	1	304	7	-	58	2
10	1	0	52	4	302	7	-	56	2
11	1	0	48	0	369	8	-	66	2
12	1	0	48	0	306	7	-	54	2
13	1	0	48	0	289	8	-	46	3
14	1	0	48	0	272	9	-	48	2
15	1	0	41	5	320	5	-	60	2
16	1	0	41	5	264	7	-	46	2
17	1	0	40	16	348	5	-	64	2
18	1	0	36	12	336	5	-	64	2
19	1	0	34	10	328	5	-	54	2
20	1	0	34	10	288	5	-	50	2
21	1	0	34	10	274	7	-	48	2
22	1	0	30	6	331	6	-	58	3
23	1	0	30	6	280	5	-	46	2
24	1	0	30	6	260	5	-	38	2
25	1	0	28	4	268	5	-	42	2
26	1	0	26	2	274	7	-	40	2
27	1	0	31	19	342	5	-	60	2
28	1	0	29	17	290	5	-	54	2
29	1	0	25	13	308	5	-	54	2
30	1	0	24	24	306	7	0	54	2
31	1	0	24	24	296	9	0	54	2
32	1	0	22	22	361	11	2	60	2
33	1	0	22	22	274	7	0	48	2

(1, 1, 4, 6, 22) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
34	1	0	20	20	274	7	0	46	2
35	1	0	18	18	292	5	0	50	2
36	1	0	16	16	345	8	0	54	3
37	1	0	16	16	315	13	2	44	5
38	1	0	16	16	292	5	0	44	2
39	1	0	16	16	274	7	0	38	2
40	1	0	16	16	270	7	0	42	2
41	1	0	16	16	264	9	0	38	2
42	1	0	16	16	250	7	0	32	2
43	1	0	14	14	284	5	0	46	2
44	1	0	12	12	341	11	2	52	3
45	1	0	12	12	276	5	0	36	2
46	1	0	12	12	254	7	0	34	2
47	2	0	16	16	214	13	2	40	3
48	2	2	20	-	134	10	-	-	2

(1, 1, 4, 7, 16)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	79	7	312	4	-	-	1
2	1	1	68	8	285	5	-	-	2
3	1	1	43	19	292	6	-	-	2
4	1	1	39	15	244	4	-	-	2
5	1	1	35	11	207	5	-	-	2
6	1	1	29	5	207	5	-	-	2
7	1	1	34	22	272	4	-	-	2
8	1	1	34	22	238	4	-	-	2
9	1	1	32	20	285	5	-	-	2
10	1	1	26	14	232	4	-	-	2
11	1	1	26	14	224	4	-	-	2
12	1	1	24	12	233	5	-	-	2
13	1	1	24	12	230	4	-	-	3
14	1	1	24	12	220	6	-	-	3
15	1	1	22	10	218	4	-	-	3
16	1	1	22	10	210	4	-	-	3
17	1	1	20	8	207	5	-	-	3
18	1	1	23	23	217	5	-	-	2
19	1	1	13	13	198	4	-	-	3

(1, 1, 4, 7, 16) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
20	1	1	11	11	217	5	-	-	3
21	1	0	61	1	304	7	-	58	2
22	1	0	50	2	268	5	-	50	2
23	1	0	48	0	369	8	-	66	3
24	1	0	48	0	238	7	-	38	3
25	1	0	48	0	232	7	-	38	3
26	1	0	41	5	274	5	-	48	2
27	1	0	41	5	273	6	-	50	2
28	1	0	41	5	260	5	-	44	2
29	1	0	41	5	258	5	-	44	2
30	1	0	39	3	262	5	-	44	2
31	1	0	39	3	256	5	-	44	2
32	1	0	37	1	265	6	-	42	3
33	1	0	37	1	232	5	-	34	3
34	1	0	37	1	230	5	-	36	3
35	1	0	36	12	332	5	-	54	2
36	1	0	34	10	328	5	-	54	2
37	1	0	32	8	279	6	-	46	2
38	1	0	32	8	260	5	-	40	2
39	1	0	32	8	254	5	-	40	3
40	1	0	30	6	276	5	-	46	2
41	1	0	30	6	275	6	-	42	3
42	1	0	30	6	266	5	-	44	2
43	1	0	30	6	258	5	-	40	2
44	1	0	30	6	248	5	-	40	2
45	1	0	30	6	242	5	-	38	3
46	1	0	28	4	258	5	-	36	3
47	1	0	28	4	242	5	-	34	3
48	1	0	28	4	232	5	-	32	3
49	1	0	26	2	281	8	-	38	3
50	1	0	26	2	275	6	-	38	3
51	1	0	26	2	268	5	-	38	3
52	1	0	26	2	252	7	-	36	3
53	1	0	26	2	252	5	-	36	3
54	1	0	26	2	244	5	-	32	3
55	1	0	35	23	358	5	-	70	2
56	1	0	25	13	286	5	-	46	2
57	1	0	25	13	269	6	-	40	2
58	1	0	25	13	256	5	-	42	2
59	1	0	25	13	254	5	-	44	2

(1, 1, 4, 7, 16) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
60	1	0	25	13	250	7	-	38	3
61	1	0	25	13	246	5	-	36	3
62	1	0	25	13	234	7	-	36	3
63	1	0	25	13	228	7	-	38	3
64	1	0	23	11	265	6	-	36	2
65	1	0	23	11	264	5	-	42	2
66	1	0	23	11	260	5	-	38	3
67	1	0	23	11	248	5	-	38	2
68	1	0	23	11	246	5	-	38	2
69	1	0	21	9	277	6	-	40	3
70	1	0	21	9	266	5	-	42	2
71	1	0	21	9	260	5	-	40	2
72	1	0	21	9	260	5	-	36	3
73	1	0	21	9	258	5	-	40	2
74	1	0	21	9	249	8	-	36	2
75	1	0	21	9	244	5	-	34	3
76	1	0	21	9	240	5	-	32	2
77	1	0	21	9	236	5	-	30	3
78	1	0	21	9	234	5	-	32	3
79	1	0	19	7	273	6	-	36	3
80	1	0	19	7	265	6	-	32	3
81	1	0	19	7	236	5	-	32	3
82	1	0	19	7	234	5	-	30	3
83	1	0	17	5	254	5	-	32	3
84	1	0	32	32	327	6	0	74	2
85	1	0	26	26	340	5	0	74	2
86	1	0	22	22	361	11	2	60	2
87	1	0	22	22	307	6	0	54	2
88	1	0	20	20	278	5	0	48	2
89	1	0	20	20	262	7	0	48	3
90	1	0	16	16	321	11	2	52	3
91	1	0	16	16	319	6	0	54	3
92	1	0	16	16	302	7	0	54	3
93	1	0	16	16	295	6	0	42	3
94	1	0	16	16	271	6	0	38	2
95	1	0	16	16	259	6	0	36	3
96	1	0	16	16	252	5	0	36	2
97	1	0	16	16	248	5	0	36	3
98	1	0	16	16	243	11	2	38	3
99	1	0	16	16	240	5	0	36	3

(1, 1, 4, 7, 16) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
100	1	0	16	16	236	5	0	32	3
101	1	0	16	16	228	5	0	32	3
102	1	0	16	16	226	5	0	32	3
103	1	0	14	14	291	6	0	38	2
104	1	0	14	14	275	6	0	38	3
105	1	0	14	14	267	6	0	34	4
106	1	0	14	14	262	5	0	40	2
107	1	0	14	14	258	5	0	38	2
108	1	0	14	14	255	6	0	32	3
109	1	0	14	14	245	11	2	36	3
110	1	0	14	14	239	11	2	34	3
111	1	0	14	14	228	5	0	28	3
112	1	0	12	12	313	11	2	44	3
113	1	0	12	12	269	8	0	38	3
114	1	0	12	12	248	5	0	32	3
115	1	0	12	12	235	11	2	30	3
116	1	0	10	10	248	5	0	32	3
117	1	2	12	-	159	10	-	-	3
118	2	1	12	12	162	5	-	-	3
119	2	0	16	16	210	11	2	40	3
120	2	0	12	12	194	8	0	28	3
121	2	2	20	-	134	10	-	-	2

(1, 1, 4, 7, 16*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	62	2	231	5	-	-	2
2	1	1	35	11	207	5	-	-	3
3	1	1	29	5	207	5	-	-	3
4	1	1	26	14	231	5	-	-	3
5	1	1	22	10	215	5	-	-	3
6	1	1	20	8	207	5	-	-	4
7	1	1	19	19	181	5	-	-	3
8	1	1	7	7	181	5	-	-	4
9	1	0	48	0	279	8	-	48	3
10	1	0	41	5	243	6	-	44	3
11	1	0	37	1	235	6	-	36	3
12	1	0	30	6	257	6	-	42	3

(1, 1, 4, 7, 16*) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
13	1	0	28	4	253	6	-	38	3
14	1	0	26	2	251	8	-	32	4
15	1	0	26	2	245	6	-	32	4
16	1	0	21	9	255	6	-	38	3
17	1	0	21	9	249	8	-	36	3
18	1	0	21	9	247	6	-	34	4
19	1	0	19	7	251	6	-	34	3
20	1	0	19	7	243	6	-	30	4
21	1	0	17	5	243	6	-	28	4
22	1	0	26	26	321	6	0	74	3
23	1	0	18	18	287	11	2	46	3
24	1	0	16	16	301	6	0	54	3
25	1	0	16	16	289	6	0	48	4
26	1	0	16	16	243	11	2	38	4
27	1	0	16	16	229	6	0	30	4
28	1	0	14	14	249	6	0	34	3
29	1	0	14	14	245	6	0	32	4
30	1	0	14	14	239	11	2	34	4
31	1	0	14	14	225	6	0	26	4
32	1	0	14	14	185	11	2	24	4
33	1	0	12	12	307	11	2	50	4
34	1	0	12	12	245	6	0	30	4
35	1	0	12	12	235	11	2	30	4
36	1	0	12	12	209	8	0	26	4
37	1	0	10	10	289	6	0	42	4
38	1	0	8	8	299	11	2	42	4
39	1	0	8	8	285	6	0	38	3
40	1	2	12	-	159	10	-	-	4
41	2	1	12	12	162	5	-	-	4
42	2	0	12	12	194	8	0	28	4
43	2	2	20	-	134	10	-	-	3

(1, 1, 4, 8, 13)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	48	12	248	4	-	-	1
2	1	1	41	17	249	5	-	-	2
3	1	1	27	27	252	6	-	-	2
4	1	0	50	2	260	7	-	48	2
5	1	0	48	0	309	8	-	54	2
6	1	0	32	8	274	5	-	44	2
7	1	0	29	17	296	5	-	54	2
8	1	0	20	20	313	11	2	52	2
9	2	2	20	-	134	10	-	-	2

(1, 1, 4, 10, 10)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	101	5	372	4	-	-	1
2	1	1	79	7	321	5	-	-	2
3	1	1	75	3	280	4	-	-	2
4	1	1	59	11	332	6	-	-	2
5	1	1	57	9	252	4	-	-	2
6	1	1	57	9	249	5	-	-	3
7	1	1	53	5	232	4	-	-	3
8	1	1	51	3	252	6	-	-	2
9	1	1	44	8	242	4	-	-	2
10	1	1	40	4	219	5	-	-	2
11	1	1	39	15	321	5	-	-	2
12	1	1	39	15	244	4	-	-	2
13	1	1	33	9	228	4	-	-	2
14	1	1	31	7	229	5	-	-	2
15	1	1	29	5	218	4	-	-	3
16	1	1	29	5	212	4	-	-	3
17	1	1	29	5	208	4	-	-	2
18	1	1	27	3	219	5	-	-	3
19	1	1	34	22	234	4	-	-	2
20	1	1	28	16	222	4	-	-	2
21	1	1	24	12	230	4	-	-	3
22	1	1	24	12	214	6	-	-	3
23	1	1	24	12	186	4	-	-	2
24	1	1	24	12	183	5	-	-	3
25	1	1	20	8	214	4	-	-	3

(1, 1, 4, 10, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
26	1	1	20	8	174	6	-	-	3
27	1	1	29	29	300	4	-	-	2
28	1	1	27	27	252	6	-	-	2
29	1	1	25	25	249	5	-	-	2
30	1	1	23	23	209	5	-	-	2
31	1	1	21	21	232	4	-	-	2
32	1	1	21	21	220	4	-	-	2
33	1	1	21	21	216	4	-	-	2
34	1	1	19	19	232	4	-	-	3
35	1	1	19	19	172	6	-	-	3
36	1	1	17	17	229	5	-	-	3
37	1	1	17	17	200	4	-	-	3
38	1	1	15	15	204	4	-	-	3
39	1	1	13	13	202	4	-	-	3
40	1	1	13	13	194	4	-	-	3
41	1	1	13	13	183	5	-	-	5
42	1	1	11	11	209	5	-	-	3
43	1	1	9	9	190	4	-	-	3
44	1	1	9	9	152	4	-	-	3
45	1	0	72	0	348	7	-	68	2
46	1	0	52	4	326	5	-	66	2
47	1	0	50	2	278	5	-	52	2
48	1	0	50	2	260	7	-	48	2
49	1	0	48	0	429	8	-	78	2
50	1	0	48	0	309	8	-	54	3
51	1	0	48	0	306	7	-	54	2
52	1	0	48	0	263	6	-	46	2
53	1	0	45	9	290	5	-	58	2
54	1	0	41	5	284	5	-	50	2
55	1	0	41	5	256	5	-	44	2
56	1	0	39	3	268	5	-	46	2
57	1	0	39	3	242	5	-	42	2
58	1	0	37	1	282	5	-	46	2
59	1	0	37	1	265	6	-	42	2
60	1	0	37	1	248	5	-	40	2
61	1	0	37	1	246	7	-	40	2
62	1	0	37	1	244	7	-	38	3
63	1	0	37	1	242	5	-	40	2
64	1	0	37	1	238	7	-	36	3
65	1	0	37	1	236	5	-	38	3

(1, 1, 4, 10, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
66	1	0	37	1	234	5	-	36	3
67	1	0	37	1	232	5	-	36	2
68	1	0	37	1	224	5	-	34	3
69	1	0	46	22	410	5	-	80	2
70	1	0	42	18	374	5	-	78	2
71	1	0	38	14	378	5	-	60	2
72	1	0	38	14	302	5	-	58	2
73	1	0	38	14	290	5	-	58	2
74	1	0	36	12	382	5	-	64	2
75	1	0	34	10	339	6	-	66	3
76	1	0	34	10	314	5	-	60	2
77	1	0	34	10	286	5	-	48	2
78	1	0	34	10	284	5	-	48	2
79	1	0	34	10	280	5	-	54	2
80	1	0	34	10	272	7	-	48	2
81	1	0	34	10	262	5	-	48	2
82	1	0	32	8	274	5	-	44	2
83	1	0	32	8	272	5	-	46	2
84	1	0	32	8	271	6	-	44	2
85	1	0	32	8	270	7	-	46	2
86	1	0	32	8	268	7	-	44	3
87	1	0	32	8	258	5	-	40	2
88	1	0	32	8	246	7	-	38	2
89	1	0	32	8	240	7	-	40	3
90	1	0	30	6	314	5	-	54	2
91	1	0	30	6	298	5	-	50	2
92	1	0	30	6	278	5	-	50	2
93	1	0	30	6	276	5	-	40	2
94	1	0	30	6	275	6	-	46	3
95	1	0	30	6	275	6	-	44	3
96	1	0	30	6	274	5	-	42	3
97	1	0	30	6	270	5	-	44	2
98	1	0	30	6	259	6	-	40	3
99	1	0	30	6	256	5	-	42	2
100	1	0	30	6	256	5	-	40	2
101	1	0	30	6	248	7	-	36	3
102	1	0	30	6	242	5	-	38	2
103	1	0	30	6	238	5	-	36	3
104	1	0	30	6	236	5	-	36	3
105	1	0	30	6	234	5	-	34	2

(1,1,4,10,10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
106	1	0	28	4	286	5	-	48	3
107	1	0	28	4	256	5	-	38	2
108	1	0	28	4	252	5	-	36	3
109	1	0	28	4	250	7	-	34	3
110	1	0	28	4	246	5	-	34	3
111	1	0	28	4	242	5	-	34	3
112	1	0	28	4	240	5	-	34	3
113	1	0	28	4	234	5	-	34	3
114	1	0	28	4	224	5	-	32	2
115	1	0	26	2	323	6	-	50	3
116	1	0	26	2	284	7	-	42	3
117	1	0	26	2	282	5	-	42	2
118	1	0	26	2	277	8	-	38	3
119	1	0	26	2	275	6	-	38	3
120	1	0	26	2	271	6	-	38	4
121	1	0	26	2	268	5	-	38	3
122	1	0	26	2	262	5	-	42	3
123	1	0	26	2	256	5	-	38	3
124	1	0	26	2	252	5	-	36	3
125	1	0	26	2	251	6	-	32	3
126	1	0	26	2	244	5	-	34	3
127	1	0	26	2	244	5	-	30	3
128	1	0	26	2	242	5	-	34	3
129	1	0	26	2	234	5	-	30	3
130	1	0	26	2	232	5	-	30	3
131	1	0	26	2	232	5	-	32	2
132	1	0	26	2	220	7	-	26	3
133	1	0	26	2	218	9	-	30	3
134	1	0	26	2	208	7	-	26	3
135	1	0	33	21	308	5	-	64	2
136	1	0	33	21	305	6	-	64	2
137	1	0	25	13	265	6	-	40	2
138	1	0	25	13	258	5	-	46	2
139	1	0	25	13	254	5	-	42	2
140	1	0	25	13	250	5	-	44	2
141	1	0	25	13	246	5	-	36	3
142	1	0	25	13	242	7	-	40	2
143	1	0	25	13	228	7	-	38	3
144	1	0	23	11	261	6	-	36	3
145	1	0	23	11	258	5	-	40	2

(1,1,4,10,10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
146	1	0	23	11	254	5	-	38	2
147	1	0	23	11	250	5	-	38	2
148	1	0	23	11	248	5	-	40	2
149	1	0	23	11	244	5	-	38	2
150	1	0	23	11	242	5	-	40	2
151	1	0	23	11	240	5	-	38	3
152	1	0	23	11	238	5	-	36	2
153	1	0	21	9	281	6	-	40	3
154	1	0	21	9	273	8	-	42	3
155	1	0	21	9	269	6	-	40	3
156	1	0	21	9	265	6	-	36	3
157	1	0	21	9	260	5	-	40	2
158	1	0	21	9	258	5	-	38	2
159	1	0	21	9	258	5	-	36	3
160	1	0	21	9	254	5	-	38	2
161	1	0	21	9	252	5	-	36	3
162	1	0	21	9	248	7	-	34	3
163	1	0	21	9	248	5	-	36	2
164	1	0	21	9	246	5	-	36	3
165	1	0	21	9	245	6	-	28	5
166	1	0	21	9	244	5	-	34	3
167	1	0	21	9	242	5	-	36	3
168	1	0	21	9	238	5	-	30	3
169	1	0	21	9	238	5	-	34	3
170	1	0	21	9	234	5	-	34	3
171	1	0	21	9	232	5	-	34	3
172	1	0	21	9	224	5	-	30	3
173	1	0	21	9	213	8	-	30	3
174	1	0	21	9	208	7	-	26	3
175	1	0	21	9	198	7	-	28	3
176	1	0	19	7	277	6	-	40	3
177	1	0	19	7	265	6	-	34	3
178	1	0	19	7	257	6	-	30	3
179	1	0	19	7	252	5	-	32	2
180	1	0	19	7	248	5	-	34	3
181	1	0	19	7	248	5	-	30	3
182	1	0	19	7	246	5	-	32	3
183	1	0	19	7	242	5	-	30	3
184	1	0	19	7	240	5	-	32	3
185	1	0	19	7	240	5	-	30	3

(1, 1, 4, 10, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
186	1	0	19	7	236	5	-	30	3
187	1	0	19	7	228	7	-	28	2
188	1	0	19	7	226	5	-	28	3
189	1	0	19	7	224	5	-	30	3
190	1	0	19	7	224	5	-	26	3
191	1	0	19	7	220	5	-	32	3
192	1	0	19	7	216	5	-	26	3
193	1	0	19	7	200	5	-	28	2
194	1	0	19	7	200	5	-	24	3
195	1	0	17	5	256	5	-	34	3
196	1	0	17	5	248	5	-	32	3
197	1	0	17	5	246	5	-	34	3
198	1	0	17	5	242	5	-	30	3
199	1	0	17	5	236	5	-	28	3
200	1	0	17	5	232	5	-	28	3
201	1	0	17	5	222	5	-	26	5
202	1	0	17	5	220	5	-	28	3
203	1	0	17	5	218	5	-	26	5
204	1	0	24	24	409	11	2	68	2
205	1	0	24	24	306	7	0	54	2
206	1	0	24	24	306	5	0	60	2
207	1	0	20	20	318	5	0	58	3
208	1	0	20	20	313	11	2	52	3
209	1	0	20	20	302	5	0	54	2
210	1	0	20	20	290	5	0	50	2
211	1	0	18	18	288	5	0	46	2
212	1	0	18	18	266	5	0	44	2
213	1	0	18	18	260	5	0	38	3
214	1	0	18	18	258	5	0	42	2
215	1	0	18	18	244	7	0	38	3
216	1	0	18	18	242	7	0	34	3
217	1	0	18	18	242	5	0	36	3
218	1	0	16	16	333	8	0	54	3
219	1	0	16	16	307	6	0	54	3
220	1	0	16	16	303	6	0	54	4
221	1	0	16	16	302	5	0	48	2
222	1	0	16	16	286	5	0	44	2
223	1	0	16	16	278	5	0	42	2
224	1	0	16	16	266	5	0	42	2
225	1	0	16	16	264	5	0	40	3

(1, 1, 4, 10, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
226	1	0	16	16	263	11	2	40	3
227	1	0	16	16	256	5	0	40	2
228	1	0	16	16	256	5	0	38	2
229	1	0	16	16	254	5	0	38	2
230	1	0	16	16	250	5	0	38	2
231	1	0	16	16	238	5	0	34	2
232	1	0	16	16	216	9	0	30	3
233	1	0	14	14	305	11	2	48	3
234	1	0	14	14	275	6	0	38	3
235	1	0	14	14	271	6	0	38	3
236	1	0	14	14	259	11	2	36	3
237	1	0	14	14	258	5	0	38	3
238	1	0	14	14	258	5	0	40	2
239	1	0	14	14	258	5	0	36	3
240	1	0	14	14	257	8	0	32	3
241	1	0	14	14	254	5	0	38	3
242	1	0	14	14	252	5	0	34	3
243	1	0	14	14	250	5	0	36	3
244	1	0	14	14	248	7	0	36	3
245	1	0	14	14	248	5	0	36	3
246	1	0	14	14	245	11	2	36	3
247	1	0	14	14	242	5	0	34	3
248	1	0	14	14	240	5	0	32	2
249	1	0	14	14	238	5	0	34	2
250	1	0	14	14	238	5	0	32	3
251	1	0	14	14	234	5	0	34	2
252	1	0	14	14	232	5	0	32	2
253	1	0	14	14	230	5	0	30	3
254	1	0	14	14	228	5	0	30	2
255	1	0	14	14	228	5	0	32	3
256	1	0	14	14	226	5	0	34	2
257	1	0	14	14	224	5	0	28	3
258	1	0	14	14	222	5	0	28	3
259	1	0	14	14	220	7	0	26	3
260	1	0	14	14	218	5	0	28	3
261	1	0	14	14	215	11	2	32	3
262	1	0	14	14	210	5	0	34	3
263	1	0	14	14	196	7	0	28	3
264	1	0	12	12	337	11	2	52	3
265	1	0	12	12	277	8	0	34	3

(1, 1, 4, 10, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
266	1	0	12	12	271	13	2	40	5
267	1	0	12	12	271	6	0	34	3
268	1	0	12	12	268	5	0	34	5
269	1	0	12	12	266	5	0	36	3
270	1	0	12	12	262	5	0	36	3
271	1	0	12	12	261	8	0	38	3
272	1	0	12	12	250	5	0	32	3
273	1	0	12	12	248	5	0	30	5
274	1	0	12	12	242	7	0	26	5
275	1	0	12	12	241	11	2	28	3
276	1	0	12	12	238	5	0	32	3
277	1	0	12	12	228	5	0	26	3
278	1	0	12	12	228	5	0	30	3
279	1	0	12	12	226	5	0	28	3
280	1	0	12	12	224	7	0	30	3
281	1	0	12	12	224	5	0	28	3
282	1	0	12	12	218	5	0	28	3
283	1	0	12	12	211	11	2	28	3
284	1	0	12	12	198	5	0	26	3
285	1	0	12	12	194	5	0	28	3
286	1	0	10	10	244	5	0	32	3
287	1	0	10	10	232	5	0	28	3
288	1	0	10	10	228	5	0	28	3
289	1	0	8	8	299	10	0	38	3
290	1	0	8	8	287	6	0	38	3
291	1	0	8	8	266	5	0	38	3
292	1	0	8	8	260	7	0	30	5
293	1	0	8	8	254	5	0	30	3
294	1	0	8	8	250	5	0	30	3
295	1	2	12	-	147	10	-	-	3
296	2	1	12	12	162	5	-	-	3
297	2	0	16	16	214	13	2	40	3
298	2	0	16	16	210	11	2	40	3
299	2	0	12	12	194	8	0	28	3
300	2	0	8	8	190	10	0	20	5
301	2	2	20	-	134	10	-	-	2

(1, 1, 4, 10, 10*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	62	2	250	6	-	-	3
2	1	1	62	2	249	5	-	-	2
3	1	1	35	11	229	7	-	-	3
4	1	1	35	11	213	5	-	-	3
5	1	1	26	14	250	6	-	-	3
6	1	1	24	12	225	5	-	-	3
7	1	1	17	17	213	5	-	-	3
8	1	0	48	0	310	9	-	54	3
9	1	0	48	0	219	12	-	40	3
10	1	0	41	5	269	6	-	50	3
11	1	0	41	5	251	6	-	44	3
12	1	0	39	3	247	8	-	40	3
13	1	0	37	1	243	8	-	36	3
14	1	0	30	6	298	9	-	42	3
15	1	0	30	6	259	6	-	40	3
16	1	0	30	6	231	10	-	30	3
17	1	0	28	4	263	6	-	38	3
18	1	0	28	4	255	6	-	36	3
19	1	0	26	2	233	8	-	26	3
20	1	0	23	11	257	6	-	38	3
21	1	0	23	11	255	8	-	36	3
22	1	0	21	9	239	6	-	32	3
23	1	0	21	9	231	8	-	30	3
24	1	0	22	22	351	8	1	61	3
25	1	0	22	22	334	9	1	55	4
26	1	0	22	22	291	6	0	54	3
27	1	0	18	18	310	12	2	48	3
28	1	0	18	18	309	11	2	48	3
29	1	0	16	16	349	10	1	55	3
30	1	0	16	16	334	13	1	43	4
31	1	0	16	16	245	11	2	38	3
32	1	0	16	16	237	8	0	30	3
33	1	0	14	14	318	9	1	39	4
34	1	0	14	14	307	8	1	41	3
35	1	0	14	14	299	10	1	39	3
36	1	0	14	14	281	12	1	33	3
37	1	0	14	14	265	13	2	36	4
38	1	0	14	14	251	6	0	32	3
39	1	0	14	14	245	11	2	32	3
40	1	0	14	14	241	11	2	34	3

(1, 1, 4, 10, 10*) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	1	0	14	14	221	8	0	26	6
42	1	0	12	12	338	14	3	41	4
43	1	0	12	12	333	13	3	43	3
44	1	0	12	12	326	13	1	35	4
45	1	0	12	12	323	17	3	41	6
46	1	0	12	12	319	8	1	47	3
47	1	0	12	12	305	8	1	39	3
48	1	0	12	12	299	8	1	39	3
49	1	0	12	12	298	12	2	36	4
50	1	0	12	12	289	11	2	40	3
51	1	0	12	12	257	11	2	32	4
52	1	0	12	12	213	17	2	22	4
53	1	0	12	12	209	13	2	30	6
54	1	0	10	10	267	11	2	32	4
55	1	0	8	8	317	13	3	39	6
56	1	0	8	8	297	13	3	31	4
57	1	0	8	8	245	11	2	26	4
58	1	0	8	8	237	11	2	24	4
59	1	0	4	4	343	13	3	37	4
60	1	2	12	-	193	10	-	-	4
61	2	1	12	12	166	7	-	-	4
62	2	0	16	16	228	18	3	42	6
63	2	0	16	16	226	17	3	42	3
64	2	0	16	16	214	13	2	40	3
65	2	0	12	12	216	18	2	32	4
66	2	0	12	12	198	10	1	30	4
67	2	0	8	8	228	26	3	26	6
68	2	0	8	8	212	18	3	26	6
69	2	0	6	6	190	11	2	20	4
70	2	0	4	4	198	17	2	16	6
71	2	0	4	4	194	13	3	18	4
72	2	2	20	-	136	11	-	-	3
73	2	2	20	-	134	10	-	-	3
74	2	2	8	-	160	11	-	-	6

(1, 1, 4, 10*, 10*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	35	11	231	7	-	-	3
2	1	0	48	0	255	14	-	42	4
3	1	0	16	16	351	21	2	44	4
4	1	0	16	16	271	13	2	40	4
5	1	0	12	12	361	11	2	48	4
6	1	0	8	8	367	16	4	42	4
7	2	0	16	16	250	26	4	44	4
8	2	0	16	16	236	17	4	44	4
9	2	0	0	0	412	11	8	44	5
10	2	0	0	0	380	8	6	40	5
11	2	0	0	0	258	7	10	24	5
12	2	2	20	-	146	16	-	-	4
13	2	2	20	-	140	11	-	-	4
14	4	4	-	-	-	22	-	-	4

(1, 1, 5, 5, 19)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	65	17	314	4	-	-	1
2	1	0	48	0	222	5	-	36	2

(1, 1, 6, 6, 10)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	43	19	256	4	-	-	1
2	1	1	37	13	212	4	-	-	2
3	1	1	35	11	240	4	-	-	2
4	1	1	33	9	204	4	-	-	2
5	1	1	25	25	212	4	-	-	2
6	1	1	21	21	204	4	-	-	3
7	1	0	32	8	222	5	-	38	2
8	1	0	30	6	278	5	-	50	2
9	1	0	26	2	262	5	-	42	2
10	1	0	24	24	302	5	0	54	2
11	1	0	24	24	282	9	0	54	4
12	1	0	20	20	260	7	0	46	2

(1, 1, 6, 6, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
13	1	0	18	18	278	5	0	50	2
14	1	0	16	16	302	5	0	54	3
15	1	0	14	14	262	5	0	42	3

(1, 1, 6, 6, 10*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	2	0	16	16	226	17	3	42	3
2	2	0	16	16	214	13	2	40	3
3	2	2	20	-	134	10	-	-	2

(1, 1, 7, 7, 7)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	112	4	400	4	-	-	1
2	1	1	55	7	276	4	-	-	2
3	1	1	46	10	220	4	-	-	2
4	1	1	38	2	220	4	-	-	2
5	1	1	34	22	256	4	-	-	2
6	1	1	26	14	220	4	-	-	2
7	1	1	22	10	204	4	-	-	3
8	1	1	23	23	208	4	-	-	3
9	1	1	13	13	184	4	-	-	3
10	1	0	61	1	308	5	-	60	2
11	1	0	43	7	320	5	-	56	2
12	1	0	41	5	256	5	-	44	2
13	1	0	41	5	232	5	-	44	2
14	1	0	39	3	264	5	-	46	2
15	1	0	39	3	228	5	-	40	3
16	1	0	37	1	232	5	-	36	3
17	1	0	36	12	322	5	-	54	2
18	1	0	32	8	242	5	-	40	2
19	1	0	32	8	234	5	-	40	2
20	1	0	30	6	246	5	-	40	2
21	1	0	28	4	238	5	-	34	3
22	1	0	28	4	230	5	-	34	3

(1, 1, 7, 7, 7) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
23	1	0	28	4	226	5	-	32	3
24	1	0	26	2	242	5	-	34	3
25	1	0	25	13	236	5	-	38	2
26	1	0	23	11	236	5	-	36	3
27	1	0	21	9	224	5	-	32	2
28	1	0	19	7	248	5	-	34	3
29	1	0	19	7	224	5	-	30	3
30	1	0	32	32	346	5	0	74	2
31	1	0	20	20	334	5	0	74	4
32	1	0	18	18	270	5	0	48	3
33	1	0	16	16	238	5	0	34	3
34	1	0	16	16	230	5	0	34	2
35	1	0	16	16	218	5	0	32	3
36	1	0	14	14	254	5	0	40	3
37	1	0	14	14	238	5	0	32	3
38	1	0	12	12	270	5	0	42	4
39	1	0	12	12	246	5	0	34	3

(1, 2, 2, 5, 40)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	35	35	331	5	-	-	1
2	1	0	24	24	485	9	2	72	2
3	2	2	20	-	134	8	-	-	2

(1, 2, 2, 6, 22)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	68	8	298	4	-	-	1
2	1	1	46	10	230	4	-	-	2
3	1	1	40	4	226	4	-	-	2
4	1	1	43	19	291	5	-	-	2
5	1	1	37	13	244	4	-	-	2
6	1	1	35	11	211	5	-	-	3
7	1	1	28	16	242	4	-	-	2
8	1	1	26	14	238	4	-	-	3

(1, 2, 2, 6, 22) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
9	1	1	26	14	222	4	-	-	2
10	1	1	23	23	243	5	-	-	3
11	1	1	17	17	239	5	-	-	3
12	1	1	13	13	199	5	-	-	3
13	1	0	52	4	292	7	-	54	2
14	1	0	48	0	305	6	-	54	2
15	1	0	43	7	330	5	-	56	2
16	1	0	41	5	300	5	-	52	2
17	1	0	39	3	256	5	-	40	2
18	1	0	37	1	280	5	-	44	2
19	1	0	40	16	322	5	-	62	2
20	1	0	34	10	294	5	-	50	2
21	1	0	32	8	289	6	-	46	2
22	1	0	32	8	282	5	-	46	2
23	1	0	30	6	278	5	-	42	3
24	1	0	28	4	268	7	-	38	2
25	1	0	28	4	266	5	-	38	2
26	1	0	28	4	262	5	-	38	2
27	1	0	27	15	292	5	-	48	2
28	1	0	25	13	290	5	-	44	2
29	1	0	25	13	280	5	-	44	2
30	1	0	25	13	258	5	-	44	3
31	1	0	23	11	272	5	-	40	2
32	1	0	23	11	266	5	-	40	2
33	1	0	21	9	296	5	-	44	2
34	1	0	21	9	270	5	-	36	2
35	1	0	19	7	246	5	-	32	2
36	1	0	26	26	394	7	1	67	2
37	1	0	24	24	334	9	1	55	3
38	1	0	24	24	305	6	0	54	3
39	1	0	24	24	302	5	0	54	2
40	1	0	24	24	295	8	0	54	3
41	1	0	20	20	437	9	2	64	2
42	1	0	20	20	344	7	1	55	3
43	1	0	20	20	302	5	0	54	2
44	1	0	18	18	314	7	1	51	3
45	1	0	18	18	278	5	0	42	2
46	1	0	18	18	274	5	0	42	2
47	1	0	18	18	245	6	0	34	3
48	1	0	16	16	389	9	2	56	3

(1, 2, 2, 6, 22) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
49	1	0	16	16	379	11	2	56	3
50	1	0	16	16	344	7	1	55	3
51	1	0	16	16	266	5	0	38	3
52	1	0	16	16	265	6	0	38	3
53	1	0	16	16	263	8	0	38	3
54	1	0	16	16	262	5	0	38	3
55	1	0	14	14	326	7	1	43	3
56	1	0	14	14	310	7	1	43	3
57	1	0	14	14	293	6	0	42	3
58	1	0	14	14	262	5	0	34	3
59	1	0	14	14	258	5	0	34	3
60	1	0	12	12	341	9	2	48	3
61	1	0	12	12	313	9	2	44	3
62	1	0	12	12	312	7	1	39	4
63	1	0	12	12	267	11	2	36	4
64	1	0	12	12	217	9	2	28	3
65	1	0	10	10	326	7	1	43	3
66	1	0	8	8	357	9	2	40	4
67	1	0	8	8	347	11	2	40	3
68	1	2	10	-	187	8	-	-	3
69	2	1	10	10	150	5	-	-	3
70	2	0	16	16	214	11	2	40	3
71	2	0	8	8	182	11	2	24	3
72	2	0	0	0	374	5	6	40	3
73	2	2	20	-	134	8	-	-	2
74	2	2	12	-	134	8	-	-	4

(1, 2, 2, 7, 16)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	43	19	291	5	-	-	1
2	1	0	48	0	237	6	-	38	2
3	1	0	20	20	437	9	2	64	2
4	1	0	16	16	321	9	2	40	2
5	1	0	16	16	301	6	0	54	2
6	1	0	8	8	385	9	2	56	2
7	2	0	16	16	210	9	2	40	2
8	2	0	0	0	374	5	6	40	3

(1, 2, 2, 7, 16) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
9	2	0	0	0	370	3	6	40	3
10	2	2	20	-	134	8	-	-	2

(1, 2, 2, 7, 16*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	2	0	16	16	210	9	2	40	3
2	2	0	0	0	374	5	6	40	3
3	2	0	0	0	370	3	6	40	3
4	2	2	20	-	134	8	-	-	2

(1, 2, 2, 8, 13)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	27	27	251	5	-	-	1
2	1	0	16	16	389	9	2	56	2
3	2	2	20	-	134	8	-	-	2

(1, 2, 2, 10, 10)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	89	5	344	4	-	-	1
2	1	1	61	1	252	4	-	-	2
3	1	1	59	11	331	5	-	-	2
4	1	1	53	5	248	4	-	-	2
5	1	1	51	3	251	5	-	-	3
6	1	1	47	11	244	4	-	-	2
7	1	1	44	8	248	4	-	-	2
8	1	1	41	5	240	4	-	-	3
9	1	1	35	11	243	5	-	-	2
10	1	1	29	5	235	5	-	-	3
11	1	1	26	14	212	4	-	-	2
12	1	1	25	13	188	4	-	-	2
13	1	1	24	12	216	4	-	-	2
14	1	1	23	11	212	4	-	-	3
15	1	1	27	27	251	5	-	-	2
16	1	1	21	21	224	4	-	-	2
17	1	1	19	19	171	5	-	-	3
18	1	1	13	13	195	5	-	-	3
19	1	0	49	1	258	5	-	46	2
20	1	0	48	0	305	6	-	54	2
21	1	0	46	10	398	5	-	70	2
22	1	0	44	8	306	5	-	58	2
23	1	0	40	4	262	5	-	42	2
24	1	0	39	3	246	5	-	40	2
25	1	0	38	2	274	5	-	46	2
26	1	0	37	1	268	5	-	44	2
27	1	0	37	1	256	5	-	40	2
28	1	0	40	16	314	5	-	62	2
29	1	0	39	15	296	5	-	60	2
30	1	0	34	10	282	5	-	50	2
31	1	0	32	8	294	5	-	50	4
32	1	0	32	8	289	6	-	46	2
33	1	0	32	8	269	6	-	46	2
34	1	0	32	8	262	5	-	44	2
35	1	0	32	8	245	6	-	38	3
36	1	0	31	7	252	5	-	40	2
37	1	0	31	7	246	5	-	38	2
38	1	0	30	6	286	5	-	46	3
39	1	0	30	6	254	5	-	38	3
40	1	0	30	6	221	6	-	30	3

(1, 2, 2, 10, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	1	0	29	5	256	5	-	40	2
42	1	0	29	5	250	5	-	38	2
43	1	0	28	4	241	6	-	34	3
44	1	0	28	16	296	5	-	52	2
45	1	0	26	14	294	5	-	50	2
46	1	0	26	14	286	5	-	46	2
47	1	0	25	13	284	5	-	48	2
48	1	0	24	12	286	5	-	46	3
49	1	0	24	12	262	5	-	42	2
50	1	0	24	12	260	5	-	40	2
51	1	0	23	11	242	5	-	36	2
52	1	0	22	10	246	5	-	34	3
53	1	0	22	10	214	5	-	34	2
54	1	0	21	9	268	5	-	36	3
55	1	0	21	9	252	5	-	36	2
56	1	0	19	7	236	5	-	32	2
57	1	0	17	5	264	5	-	36	2
58	1	0	32	32	460	7	1	83	2
59	1	0	24	24	485	9	2	72	2
60	1	0	24	24	305	6	0	54	3
61	1	0	21	21	266	5	0	46	2
62	1	0	20	20	346	7	1	57	3
63	1	0	20	20	324	7	1	51	2
64	1	0	19	19	270	5	0	46	2
65	1	0	19	19	264	5	0	44	2
66	1	0	18	18	324	7	1	47	3
67	1	0	18	18	318	7	1	51	2
68	1	0	18	18	294	7	1	43	3
69	1	0	17	17	256	5	0	40	2
70	1	0	16	16	389	9	2	56	2
71	1	0	16	16	310	7	1	45	3
72	1	0	16	16	246	5	0	36	3
73	1	0	16	16	241	6	0	34	2
74	1	0	16	16	215	8	0	30	2
75	1	0	15	15	242	5	0	34	3
76	1	0	14	14	302	7	1	43	3
77	1	0	14	14	292	7	1	39	3
78	1	0	14	14	269	6	0	38	3
79	1	0	12	12	353	9	2	48	2
80	1	0	12	12	349	9	2	40	4

(1, 2, 2, 10, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
81	1	0	12	12	329	9	2	40	3
82	1	0	12	12	329	6	0	38	3
83	1	0	12	12	309	9	2	44	3
84	1	0	12	12	296	7	1	39	3
85	1	0	12	12	262	7	1	37	3
86	1	0	12	12	219	11	2	28	3
87	1	0	12	12	213	9	2	28	3
88	1	0	10	10	314	7	1	43	3
89	1	0	8	8	299	11	2	32	4
90	1	0	8	8	293	9	2	40	3
91	1	0	4	4	349	9	2	40	4
92	1	0	0	0	339	5	6	36	4
93	1	2	10	-	179	8	-	-	3
94	2	1	10	10	150	5	-	-	3
95	2	0	16	16	214	11	2	40	3
96	2	0	16	16	210	9	2	40	2
97	2	0	8	8	182	11	2	24	3
98	2	0	8	8	178	9	2	24	3
99	2	0	0	0	374	5	6	40	4
100	2	0	0	0	370	3	6	40	3
101	2	0	0	0	354	9	2	32	4
102	2	2	20	-	134	8	-	-	2
103	2	2	12	-	134	8	-	-	4

(1, 2, 2, 10, 10*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	46	10	235	5	-	-	2
2	1	1	40	4	223	5	-	-	3
3	1	1	35	11	228	6	-	-	3
4	1	1	19	19	226	8	-	-	3
5	1	0	48	0	218	11	-	40	3
6	1	0	28	4	258	7	-	38	3
7	1	0	25	13	267	6	-	44	3
8	1	0	23	11	259	6	-	40	3
9	1	0	20	20	303	6	0	54	3
10	1	0	18	18	321	8	1	51	3
11	1	0	16	16	348	9	1	55	4

(1, 2, 2, 10, 10*) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
12	1	0	16	16	308	16	2	42	4
13	1	0	14	14	305	8	1	43	4
14	1	0	12	12	358	10	2	48	3
15	1	0	8	8	438	12	3	57	4
16	2	0	16	16	228	16	3	42	4
17	2	0	8	8	184	12	2	24	4
18	2	0	0	0	376	6	6	40	4
19	2	2	20	-	136	9	-	-	3
20	2	2	12	-	144	13	-	-	4

(1, 2, 2, 10*, 10*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	2	0	16	16	288	36	6	48	5
2	2	0	16	16	248	25	4	44	4
3	2	0	16	16	228	18	3	42	4
4	2	0	16	16	224	18	2	40	4
5	2	0	16	16	216	14	2	40	4
6	2	2	20	-	160	23	-	-	4
7	2	2	20	-	144	15	-	-	4
8	2	2	20	-	136	11	-	-	3
9	4	0	-	-	-	20	6	-	5
10	4	0	-	-	-	14	10	-	5
11	4	4	-	-	-	36	-	-	5
12	4	4	-	-	-	20	-	-	4

(1, 2, 3, 3, 58)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	47	23	314	4	-	-	1
2	1	0	48	0	284	9	-	50	2
3	1	0	24	24	414	7	1	65	2
4	1	0	16	16	314	11	1	41	3

(1, 2, 3, 4, 18)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	39	15	268	6	-	-	1
2	1	0	48	0	314	11	-	56	2
3	1	0	24	24	348	9	1	55	2
4	2	0	16	16	226	17	3	42	3
5	2	2	20	-	134	10	-	-	2

(1, 2, 4, 4, 10)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	74	2	284	4	-	-	1
2	1	1	62	2	250	6	-	-	3
3	1	1	62	2	249	5	-	-	2
4	1	1	53	5	248	4	-	-	2
5	1	1	45	9	252	6	-	-	2
6	1	1	43	7	232	4	-	-	2
7	1	1	41	5	212	4	-	-	3
8	1	1	38	2	216	4	-	-	3
9	1	1	35	11	248	4	-	-	2
10	1	1	35	11	229	7	-	-	2
11	1	1	35	11	213	5	-	-	3
12	1	1	34	10	212	4	-	-	2
13	1	1	32	8	212	4	-	-	2
14	1	1	30	6	228	6	-	-	3
15	1	1	30	6	196	4	-	-	3
16	1	1	26	2	204	6	-	-	3
17	1	1	29	17	244	6	-	-	2
18	1	1	27	15	236	4	-	-	2
19	1	1	27	15	212	4	-	-	3
20	1	1	26	14	250	6	-	-	3
21	1	1	25	13	204	6	-	-	2
22	1	1	24	12	225	5	-	-	2
23	1	1	23	11	212	4	-	-	2
24	1	1	21	9	196	6	-	-	3
25	1	1	20	8	216	4	-	-	3
26	1	1	19	7	196	4	-	-	3
27	1	1	23	23	230	6	-	-	2
28	1	1	18	18	212	4	-	-	3
29	1	1	17	17	230	6	-	-	3

(1, 2, 4, 4, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
30	1	1	17	17	213	5	-	-	2
31	1	1	16	16	208	4	-	-	2
32	1	1	15	15	214	6	-	-	3
33	1	1	14	14	220	6	-	-	3
34	1	1	10	10	196	6	-	-	3
35	1	1	9	9	214	6	-	-	3
36	1	0	50	2	266	5	-	48	2
37	1	0	49	1	258	7	-	46	2
38	1	0	48	0	266	11	-	48	2
39	1	0	48	0	219	12	-	40	3
40	1	0	41	5	276	5	-	50	2
41	1	0	41	5	269	6	-	50	2
42	1	0	41	5	251	6	-	44	3
43	1	0	40	4	254	5	-	42	2
44	1	0	39	3	247	8	-	40	2
45	1	0	39	3	246	7	-	40	2
46	1	0	38	2	274	7	-	46	2
47	1	0	38	2	244	5	-	42	3
48	1	0	38	2	242	5	-	42	3
49	1	0	38	2	218	7	-	34	2
50	1	0	38	2	216	7	-	34	3
51	1	0	37	1	243	8	-	36	2
52	1	0	37	1	212	7	-	30	2
53	1	0	36	0	294	5	-	46	2
54	1	0	35	11	304	5	-	56	2
55	1	0	35	11	288	5	-	52	2
56	1	0	33	9	282	5	-	50	2
57	1	0	32	8	242	7	-	38	2
58	1	0	31	7	272	5	-	48	2
59	1	0	31	7	240	7	-	36	3
60	1	0	31	7	230	7	-	36	2
61	1	0	30	6	298	9	-	42	3
62	1	0	30	6	258	5	-	42	3
63	1	0	30	6	234	9	-	32	2
64	1	0	30	6	231	10	-	30	3
65	1	0	30	6	230	5	-	36	3
66	1	0	29	5	264	7	-	38	2
67	1	0	29	5	244	5	-	38	2
68	1	0	29	5	236	5	-	36	2
69	1	0	29	5	234	7	-	34	3

(1, 2, 4, 4, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
70	1	0	28	4	290	7	-	46	2
71	1	0	28	4	263	6	-	38	3
72	1	0	28	4	255	6	-	36	2
73	1	0	28	4	254	5	-	40	3
74	1	0	28	4	226	5	-	32	2
75	1	0	27	3	240	5	-	34	3
76	1	0	27	3	228	5	-	32	2
77	1	0	27	3	220	5	-	30	2
78	1	0	27	3	204	7	-	26	3
79	1	0	26	2	310	11	-	42	3
80	1	0	26	2	250	5	-	36	2
81	1	0	26	2	246	9	-	30	3
82	1	0	26	2	238	11	-	30	3
83	1	0	26	2	238	9	-	30	3
84	1	0	26	2	233	8	-	26	3
85	1	0	26	2	214	7	-	32	3
86	1	0	25	1	232	5	-	30	3
87	1	0	30	18	306	5	-	58	2
88	1	0	27	15	288	5	-	52	2
89	1	0	26	14	274	7	-	46	2
90	1	0	25	13	238	5	-	38	2
91	1	0	24	12	270	5	-	46	2
92	1	0	24	12	262	5	-	44	2
93	1	0	24	12	256	5	-	42	2
94	1	0	24	12	236	7	-	36	2
95	1	0	23	11	257	6	-	38	2
96	1	0	23	11	255	8	-	36	3
97	1	0	23	11	248	5	-	40	2
98	1	0	22	10	258	7	-	38	2
99	1	0	22	10	254	5	-	40	2
100	1	0	22	10	234	5	-	34	2
101	1	0	22	10	228	5	-	32	2
102	1	0	22	10	220	7	-	32	2
103	1	0	21	9	276	5	-	40	2
104	1	0	21	9	239	6	-	32	3
105	1	0	21	9	231	8	-	30	3
106	1	0	21	9	228	5	-	32	2
107	1	0	21	9	226	7	-	30	2
108	1	0	21	9	208	7	-	26	3
109	1	0	20	8	262	5	-	38	3

(1, 2, 4, 4, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
110	1	0	20	8	246	7	-	32	3
111	1	0	20	8	238	5	-	32	2
112	1	0	20	8	226	5	-	30	2
113	1	0	19	7	254	7	-	32	3
114	1	0	19	7	248	5	-	34	2
115	1	0	19	7	248	5	-	32	3
116	1	0	19	7	236	7	-	28	3
117	1	0	19	7	230	5	-	30	3
118	1	0	19	7	216	7	-	26	2
119	1	0	19	7	214	5	-	26	2
120	1	0	18	6	254	5	-	34	3
121	1	0	18	6	246	5	-	34	3
122	1	0	18	6	232	5	-	30	4
123	1	0	18	6	230	5	-	28	3
124	1	0	18	6	222	5	-	28	2
125	1	0	18	6	218	7	-	28	3
126	1	0	17	5	260	5	-	32	3
127	1	0	16	4	242	7	-	28	3
128	1	0	16	4	214	5	-	24	3
129	1	0	26	26	404	7	1	73	2
130	1	0	22	22	351	8	1	61	3
131	1	0	22	22	291	6	0	54	2
132	1	0	20	20	348	9	1	55	2
133	1	0	20	20	304	7	1	45	2
134	1	0	18	18	312	9	1	47	2
135	1	0	18	18	310	12	2	48	3
136	1	0	18	18	309	11	2	48	2
137	1	0	18	18	284	9	1	39	3
138	1	0	17	17	248	5	0	40	3
139	1	0	17	17	240	5	0	40	2
140	1	0	16	16	350	7	1	55	2
141	1	0	16	16	349	10	1	55	3
142	1	0	16	16	320	7	1	43	3
143	1	0	16	16	286	9	1	39	3
144	1	0	16	16	280	9	1	39	3
145	1	0	16	16	254	5	0	36	2
146	1	0	16	16	252	11	0	40	3
147	1	0	16	16	245	11	2	38	3
148	1	0	16	16	226	9	0	30	3
149	1	0	16	16	202	11	0	32	3

(1, 2, 4, 4, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
150	1	0	15	15	264	5	0	40	2
151	1	0	15	15	248	5	0	36	2
152	1	0	15	15	240	5	0	34	2
153	1	0	15	15	228	7	0	32	2
154	1	0	15	15	224	7	0	28	3
155	1	0	15	15	202	7	0	26	3
156	1	0	14	14	308	7	1	43	4
157	1	0	14	14	307	8	1	41	3
158	1	0	14	14	299	10	1	39	4
159	1	0	14	14	288	7	1	41	2
160	1	0	14	14	286	7	1	39	2
161	1	0	14	14	281	12	1	33	3
162	1	0	14	14	265	13	2	36	3
163	1	0	14	14	251	6	0	32	3
164	1	0	14	14	245	11	2	32	3
165	1	0	14	14	241	11	2	34	3
166	1	0	14	14	238	5	0	36	2
167	1	0	14	14	234	7	0	30	3
168	1	0	14	14	221	8	0	26	3
169	1	0	13	13	244	7	0	30	4
170	1	0	13	13	238	5	0	36	3
171	1	0	13	13	234	5	0	32	2
172	1	0	13	13	232	5	0	30	2
173	1	0	13	13	224	5	0	30	3
174	1	0	12	12	333	13	3	43	3
175	1	0	12	12	323	17	3	41	3
176	1	0	12	12	319	8	1	47	3
177	1	0	12	12	316	7	1	45	3
178	1	0	12	12	305	8	1	39	3
179	1	0	12	12	299	8	1	39	4
180	1	0	12	12	289	11	2	40	3
181	1	0	12	12	284	9	1	39	3
182	1	0	12	12	282	7	1	35	3
183	1	0	12	12	246	5	0	30	3
184	1	0	12	12	232	5	0	30	2
185	1	0	12	12	218	5	0	28	3
186	1	0	12	12	209	13	2	30	4
187	1	0	11	11	264	7	0	32	3
188	1	0	11	11	216	5	0	26	3
189	1	0	10	10	316	7	1	45	3

(1, 2, 4, 4, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
190	1	0	10	10	312	7	1	41	3
191	1	0	10	10	300	7	1	35	3
192	1	0	10	10	228	5	0	26	3
193	1	0	8	8	317	13	3	39	3
194	1	0	8	8	297	8	1	31	3
195	1	0	8	8	270	7	1	29	3
196	1	2	12	-	193	10	-	-	3
197	2	1	12	12	166	7	-	-	3
198	2	0	16	16	226	17	3	42	3
199	2	0	16	16	214	13	2	40	3
200	2	0	12	12	198	10	1	30	3
201	2	2	20	-	136	11	-	-	3
202	2	2	20	-	134	10	-	-	2
203	2	2	8	-	160	11	-	-	3

(1, 2, 4, 4, 10*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	51	3	260	10	-	-	3
2	1	1	51	3	252	6	-	-	2
3	1	1	35	11	231	7	-	-	3
4	1	1	31	7	220	6	-	-	3
5	1	1	19	19	244	10	-	-	3
6	1	1	19	19	204	6	-	-	3
7	1	0	48	0	255	14	-	42	3
8	1	0	48	0	234	19	-	42	3
9	1	0	32	8	274	7	-	46	3
10	1	0	32	8	248	9	-	38	3
11	1	0	28	4	258	7	-	38	3
12	1	0	28	4	232	9	-	30	3
13	1	0	16	16	398	14	2	56	3
14	1	0	16	16	390	10	2	56	3
15	1	0	16	16	351	21	2	44	4
16	1	0	16	16	271	13	2	40	3
17	1	0	16	16	258	7	0	38	3
18	1	0	16	16	244	13	0	30	3
19	1	0	12	12	361	11	2	48	4
20	1	0	12	12	358	10	2	48	3

(1, 2, 4, 4, 10*) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
21	1	0	12	12	332	12	2	40	3
22	1	0	8	8	326	10	2	40	3
23	2	0	16	16	250	26	4	44	4
24	2	0	16	16	236	17	4	44	4
25	2	0	16	16	216	12	2	40	3
26	2	0	8	8	184	12	2	24	4
27	2	0	0	0	388	12	6	40	4
28	2	0	0	0	376	6	6	40	4
29	2	2	20	-	148	15	-	-	3
30	2	2	20	-	146	16	-	-	3
31	2	2	20	-	136	9	-	-	3
32	2	2	12	-	136	9	-	-	4
33	2	2	4	-	148	15	-	-	4
34	4	4	-	-	-	22	-	-	4

(1, 2, 4, 6, 6)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	55	7	276	6	-	-	1
2	1	1	51	3	236	6	-	-	2
3	1	1	35	11	228	6	-	-	2
4	1	1	31	7	220	6	-	-	2
5	1	1	23	23	260	6	-	-	2
6	1	1	23	23	228	6	-	-	2
7	1	1	19	19	220	6	-	-	3
8	1	1	19	19	188	6	-	-	2
9	1	1	15	15	212	6	-	-	3
10	1	1	11	11	172	6	-	-	3
11	1	0	48	0	314	11	-	56	2
12	1	0	48	0	258	7	-	46	2
13	1	0	48	0	218	11	-	40	3
14	1	0	32	8	242	7	-	38	2
15	1	0	28	4	290	7	-	46	2
16	1	0	24	24	348	9	1	55	2
17	1	0	24	24	328	13	1	55	3
18	1	0	24	24	296	9	0	54	2
19	1	0	20	20	306	7	0	54	2
20	1	0	16	16	348	9	1	55	3

(1, 2, 4, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
21	1	0	16	16	284	9	1	39	3
22	1	0	16	16	264	9	0	38	2
23	1	0	16	16	250	11	0	40	3
24	1	0	16	16	226	7	0	30	3
25	1	0	12	12	274	7	0	38	2
26	1	0	8	8	316	9	1	39	4
27	1	0	8	8	284	9	1	39	4
28	2	0	16	16	214	13	2	40	3
29	2	2	20	-	134	10	-	-	2

(1, 3, 3, 3, 13)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	75	3	294	4	-	-	1
2	1	1	35	11	246	4	-	-	2
3	1	1	15	15	222	4	-	-	3
4	1	0	48	0	232	9	-	40	2
5	1	0	28	4	232	5	-	32	2
6	1	0	16	16	258	5	0	36	2
7	1	0	16	16	218	9	0	28	3

(1, 3, 3, 4, 8)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	39	15	252	6	-	-	1
2	1	0	48	0	186	11	-	30	2
3	2	0	16	16	218	15	2	40	2
4	2	2	20	-	134	10	-	-	2