

(1, 4, 4, 4, 4)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	103	1	344	4	-	-	1
2	1	1	84	0	285	5	-	-	2
3	1	1	84	0	252	8	-	-	4
4	1	1	73	1	250	6	-	-	3
5	1	1	63	3	248	4	-	-	2
6	1	1	60	6	288	6	-	-	2
7	1	1	55	1	224	4	-	-	3
8	1	1	51	3	253	7	-	-	2
9	1	1	51	3	250	6	-	-	3
10	1	1	51	3	213	5	-	-	3
11	1	1	49	1	200	4	-	-	3
12	1	1	48	0	200	4	-	-	3
13	1	1	45	3	224	4	-	-	2
14	1	1	43	7	248	4	-	-	2
15	1	1	40	4	252	8	-	-	4
16	1	1	40	4	213	5	-	-	2
17	1	1	36	0	229	7	-	-	3
18	1	1	36	6	216	6	-	-	3
19	1	1	35	5	240	6	-	-	3
20	1	1	31	1	216	6	-	-	3
21	1	1	31	1	200	4	-	-	3
22	1	1	35	11	232	8	-	-	3
23	1	1	33	9	250	6	-	-	3
24	1	1	31	7	237	5	-	-	2
25	1	1	29	5	232	8	-	-	3
26	1	1	29	5	226	6	-	-	3
27	1	1	28	4	200	4	-	-	4
28	1	1	27	3	213	5	-	-	4
29	1	1	27	3	200	4	-	-	3
30	1	1	26	2	200	4	-	-	3
31	1	1	25	1	226	6	-	-	3
32	1	1	24	0	200	4	-	-	4
33	1	1	31	13	248	4	-	-	2
34	1	1	30	12	216	6	-	-	3
35	1	1	27	9	224	4	-	-	3
36	1	1	27	9	200	4	-	-	3
37	1	1	25	7	216	6	-	-	3
38	1	1	23	5	200	4	-	-	3
39	1	1	21	3	192	6	-	-	3
40	1	1	29	17	230	6	-	-	2

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	1	1	27	15	248	4	-	-	2
42	1	1	24	12	252	8	-	-	4
43	1	1	24	12	214	6	-	-	3
44	1	1	24	12	213	5	-	-	2
45	1	1	23	11	230	6	-	-	3
46	1	1	23	11	200	4	-	-	2
47	1	1	22	10	213	5	-	-	3
48	1	1	21	9	200	4	-	-	2
49	1	1	21	9	182	6	-	-	3
50	1	1	20	8	205	7	-	-	3
51	1	1	19	7	200	4	-	-	3
52	1	1	18	6	252	8	-	-	4
53	1	1	18	6	201	5	-	-	3
54	1	1	18	6	177	5	-	-	4
55	1	1	17	5	200	4	-	-	3
56	1	1	16	4	252	8	-	-	4
57	1	1	16	4	214	6	-	-	3
58	1	1	16	4	201	5	-	-	3
59	1	1	16	4	200	4	-	-	3
60	1	1	15	3	182	6	-	-	4
61	1	1	23	17	224	4	-	-	3
62	1	1	20	14	192	6	-	-	3
63	1	1	19	13	200	4	-	-	2
64	1	1	18	12	188	4	-	-	3
65	1	1	16	10	200	4	-	-	3
66	1	1	15	9	200	4	-	-	3
67	1	1	15	9	192	6	-	-	3
68	1	1	14	8	188	4	-	-	3
69	1	1	13	7	188	4	-	-	4
70	1	1	11	5	176	4	-	-	3
71	1	1	11	5	164	4	-	-	3
72	1	1	19	19	250	6	-	-	3
73	1	1	19	19	213	5	-	-	3
74	1	1	19	19	205	7	-	-	3
75	1	1	17	17	213	5	-	-	3
76	1	1	15	15	186	6	-	-	3
77	1	1	14	14	206	6	-	-	3
78	1	1	13	13	214	6	-	-	3
79	1	1	13	13	200	4	-	-	3
80	1	1	12	12	200	4	-	-	5

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
81	1	1	12	12	176	4	-	-	3
82	1	1	11	11	201	5	-	-	3
83	1	1	10	10	182	6	-	-	3
84	1	1	9	9	214	6	-	-	3
85	1	1	9	9	200	4	-	-	3
86	1	1	9	9	189	5	-	-	3
87	1	1	9	9	186	6	-	-	3
88	1	1	8	8	176	4	-	-	3
89	1	1	6	6	176	4	-	-	3
90	1	0	66	0	302	7	-	60	2
91	1	0	50	2	261	8	-	48	2
92	1	0	48	0	259	6	-	46	2
93	1	0	50	8	312	5	-	64	2
94	1	0	46	4	272	5	-	48	2
95	1	0	43	1	290	7	-	50	2
96	1	0	43	1	232	7	-	38	3
97	1	0	42	0	240	5	-	40	3
98	1	0	41	5	252	9	-	44	3
99	1	0	41	5	252	5	-	52	3
100	1	0	40	4	248	7	-	42	2
101	1	0	38	2	244	7	-	38	3
102	1	0	37	1	279	8	-	42	2
103	1	0	37	1	273	6	-	42	2
104	1	0	37	1	244	9	-	36	3
105	1	0	37	1	241	8	-	36	3
106	1	0	37	1	215	8	-	32	3
107	1	0	37	1	207	8	-	30	3
108	1	0	39	9	286	5	-	56	2
109	1	0	36	6	256	7	-	40	3
110	1	0	36	6	246	7	-	40	2
111	1	0	35	5	262	5	-	44	2
112	1	0	34	4	244	5	-	44	3
113	1	0	34	4	236	5	-	36	3
114	1	0	33	3	258	7	-	42	3
115	1	0	33	3	216	7	-	34	3
116	1	0	33	3	200	7	-	30	3
117	1	0	32	2	224	7	-	32	3
118	1	0	32	2	224	5	-	36	2
119	1	0	32	2	214	7	-	32	3
120	1	0	32	2	198	7	-	28	3

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
121	1	0	31	1	270	5	-	40	3
122	1	0	31	1	238	7	-	34	3
123	1	0	31	1	214	5	-	32	3
124	1	0	31	1	204	7	-	28	3
125	1	0	30	0	348	5	-	52	2
126	1	0	34	10	279	6	-	54	3
127	1	0	33	9	248	5	-	48	3
128	1	0	32	8	275	8	-	46	3
129	1	0	30	6	300	11	-	42	4
130	1	0	30	6	298	9	-	42	3
131	1	0	30	6	260	7	-	40	3
132	1	0	30	6	247	6	-	40	3
133	1	0	30	6	239	6	-	38	2
134	1	0	30	6	237	8	-	36	3
135	1	0	30	6	229	8	-	34	3
136	1	0	28	4	291	6	-	42	3
137	1	0	28	4	256	7	-	36	3
138	1	0	28	4	243	6	-	36	3
139	1	0	28	4	235	6	-	34	3
140	1	0	28	4	233	8	-	32	3
141	1	0	27	3	236	5	-	36	3
142	1	0	27	3	226	7	-	32	3
143	1	0	27	3	220	5	-	32	2
144	1	0	27	3	218	7	-	30	3
145	1	0	27	3	204	5	-	28	3
146	1	0	26	2	256	11	-	30	3
147	1	0	26	2	247	8	-	30	3
148	1	0	26	2	239	6	-	32	3
149	1	0	26	2	237	8	-	30	3
150	1	0	26	2	231	6	-	30	3
151	1	0	26	2	223	6	-	28	3
152	1	0	26	2	215	6	-	26	3
153	1	0	25	1	224	5	-	30	3
154	1	0	25	1	222	7	-	28	3
155	1	0	25	1	214	7	-	26	3
156	1	0	25	1	200	5	-	24	4
157	1	0	41	23	366	5	-	76	2
158	1	0	30	12	262	7	-	44	2
159	1	0	27	9	258	7	-	42	3
160	1	0	26	8	270	7	-	40	3

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
161	1	0	26	8	264	5	-	46	3
162	1	0	26	8	224	7	-	32	3
163	1	0	25	7	254	5	-	36	3
164	1	0	25	7	228	7	-	34	3
165	1	0	25	7	222	5	-	34	2
166	1	0	25	7	220	7	-	32	3
167	1	0	24	6	236	5	-	36	3
168	1	0	24	6	228	5	-	34	3
169	1	0	24	6	218	7	-	30	3
170	1	0	24	6	212	5	-	30	3
171	1	0	24	6	210	7	-	28	3
172	1	0	23	5	258	5	-	40	3
173	1	0	23	5	234	5	-	34	3
174	1	0	23	5	226	5	-	32	3
175	1	0	23	5	224	7	-	30	4
176	1	0	23	5	218	5	-	30	3
177	1	0	23	5	210	5	-	28	3
178	1	0	23	5	204	7	-	28	3
179	1	0	22	4	336	7	-	48	3
180	1	0	22	4	248	5	-	36	3
181	1	0	22	4	232	5	-	32	3
182	1	0	22	4	216	5	-	28	3
183	1	0	22	4	208	5	-	26	3
184	1	0	21	3	278	7	-	38	3
185	1	0	21	3	254	5	-	36	3
186	1	0	21	3	240	5	-	30	3
187	1	0	21	3	230	5	-	30	3
188	1	0	21	3	222	5	-	28	2
189	1	0	21	3	206	7	-	26	3
190	1	0	21	3	206	5	-	24	3
191	1	0	21	3	192	7	-	22	3
192	1	0	20	2	260	5	-	36	3
193	1	0	20	2	236	5	-	30	3
194	1	0	20	2	228	5	-	28	3
195	1	0	20	2	222	7	-	28	3
196	1	0	20	2	220	5	-	26	3
197	1	0	20	2	200	5	-	24	3
198	1	0	20	2	198	7	-	22	3
199	1	0	20	2	192	5	-	22	3
200	1	0	33	21	313	6	-	64	2

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
201	1	0	33	21	302	7	-	64	3
202	1	0	30	18	294	5	-	58	2
203	1	0	26	14	246	5	-	46	3
204	1	0	25	13	281	6	-	44	2
205	1	0	25	13	239	8	-	38	3
206	1	0	24	12	282	5	-	46	3
207	1	0	23	11	282	7	-	44	3
208	1	0	23	11	269	6	-	44	3
209	1	0	22	10	278	5	-	42	2
210	1	0	22	10	244	7	-	38	3
211	1	0	21	9	281	8	-	40	3
212	1	0	21	9	278	7	-	40	3
213	1	0	21	9	265	6	-	34	3
214	1	0	21	9	262	7	-	36	3
215	1	0	21	9	257	6	-	38	3
216	1	0	21	9	252	9	-	32	3
217	1	0	21	9	242	7	-	36	3
218	1	0	21	9	241	6	-	34	3
219	1	0	21	9	233	6	-	32	3
220	1	0	21	9	232	9	-	30	3
221	1	0	21	9	231	8	-	30	3
222	1	0	21	9	219	8	-	30	3
223	1	0	20	8	274	5	-	38	3
224	1	0	20	8	240	7	-	34	3
225	1	0	20	8	234	5	-	34	3
226	1	0	20	8	218	5	-	30	3
227	1	0	20	8	216	7	-	28	3
228	1	0	19	7	274	7	-	36	3
229	1	0	19	7	261	6	-	36	3
230	1	0	19	7	250	7	-	30	3
231	1	0	19	7	249	6	-	36	3
232	1	0	19	7	248	9	-	28	3
233	1	0	19	7	245	6	-	32	3
234	1	0	19	7	243	8	-	30	3
235	1	0	19	7	237	6	-	30	3
236	1	0	19	7	232	9	-	24	3
237	1	0	19	7	232	5	-	32	3
238	1	0	19	7	225	6	-	30	3
239	1	0	19	7	219	8	-	24	3
240	1	0	19	7	215	8	-	26	3

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
241	1	0	19	7	213	6	-	24	3
242	1	0	18	6	246	5	-	34	4
243	1	0	18	6	236	7	-	30	3
244	1	0	18	6	230	5	-	30	3
245	1	0	18	6	222	5	-	28	3
246	1	0	18	6	218	5	-	30	3
247	1	0	18	6	214	5	-	26	3
248	1	0	17	5	254	7	-	28	4
249	1	0	17	5	249	6	-	30	3
250	1	0	17	5	246	7	-	26	3
251	1	0	17	5	244	5	-	32	3
252	1	0	17	5	241	6	-	28	3
253	1	0	17	5	239	8	-	26	3
254	1	0	17	5	234	7	-	28	3
255	1	0	17	5	228	5	-	28	3
256	1	0	17	5	225	6	-	24	3
257	1	0	17	5	224	9	-	22	3
258	1	0	17	5	213	6	-	24	3
259	1	0	17	5	205	6	-	22	3
260	1	0	17	5	203	8	-	20	3
261	1	0	16	4	258	5	-	34	3
262	1	0	16	4	242	5	-	30	3
263	1	0	16	4	226	5	-	26	4
264	1	0	16	4	218	5	-	24	3
265	1	0	16	4	206	5	-	24	3
266	1	0	16	4	204	7	-	22	3
267	1	0	15	3	230	7	-	24	3
268	1	0	14	2	254	5	-	30	3
269	1	0	14	2	238	5	-	26	3
270	1	0	14	2	210	5	-	22	4
271	1	0	14	2	202	5	-	20	3
272	1	0	13	1	220	5	-	20	4
273	1	0	25	19	290	7	-	50	2
274	1	0	24	18	304	5	-	56	2
275	1	0	22	16	260	5	-	42	2
276	1	0	22	16	252	5	-	46	3
277	1	0	21	15	258	5	-	46	3
278	1	0	20	14	296	5	-	48	2
279	1	0	20	14	256	5	-	38	2
280	1	0	19	13	246	5	-	40	2

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
281	1	0	19	13	238	7	-	34	3
282	1	0	19	13	228	7	-	34	3
283	1	0	19	13	212	7	-	30	3
284	1	0	18	12	228	5	-	34	3
285	1	0	18	12	226	7	-	32	3
286	1	0	18	12	218	7	-	30	3
287	1	0	18	12	210	7	-	28	3
288	1	0	17	11	242	5	-	36	3
289	1	0	17	11	234	5	-	34	2
290	1	0	17	11	226	7	-	34	3
291	1	0	17	11	224	7	-	30	3
292	1	0	17	11	218	5	-	30	3
293	1	0	17	11	192	7	-	22	3
294	1	0	17	11	188	7	-	24	3
295	1	0	16	10	296	5	-	42	3
296	1	0	16	10	264	7	-	36	4
297	1	0	16	10	264	5	-	34	3
298	1	0	16	10	240	5	-	34	3
299	1	0	16	10	238	7	-	32	3
300	1	0	16	10	232	5	-	32	2
301	1	0	16	10	224	5	-	30	2
302	1	0	16	10	222	7	-	28	3
303	1	0	16	10	216	5	-	28	3
304	1	0	16	10	212	5	-	30	3
305	1	0	16	10	208	5	-	26	3
306	1	0	16	10	192	7	-	24	3
307	1	0	15	9	278	7	-	38	3
308	1	0	15	9	238	5	-	32	3
309	1	0	15	9	230	5	-	30	3
310	1	0	15	9	226	5	-	32	3
311	1	0	15	9	222	5	-	28	3
312	1	0	15	9	214	5	-	26	3
313	1	0	15	9	212	7	-	24	3
314	1	0	15	9	208	7	-	26	3
315	1	0	15	9	206	7	-	26	3
316	1	0	15	9	206	5	-	24	3
317	1	0	15	9	202	5	-	26	3
318	1	0	15	9	192	7	-	22	3
319	1	0	14	8	234	7	-	28	3
320	1	0	14	8	232	5	-	32	3

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
321	1	0	14	8	228	5	-	28	3
322	1	0	14	8	220	5	-	26	3
323	1	0	14	8	212	5	-	24	3
324	1	0	14	8	208	5	-	26	3
325	1	0	14	8	206	7	-	24	3
326	1	0	14	8	200	5	-	24	3
327	1	0	14	8	192	5	-	22	3
328	1	0	14	8	182	7	-	18	4
329	1	0	14	8	178	7	-	20	4
330	1	0	14	8	170	7	-	18	3
331	1	0	13	7	258	5	-	34	3
332	1	0	13	7	236	5	-	26	3
333	1	0	13	7	234	5	-	28	3
334	1	0	13	7	226	5	-	26	3
335	1	0	13	7	218	5	-	24	3
336	1	0	13	7	214	5	-	26	3
337	1	0	13	7	210	5	-	22	3
338	1	0	13	7	206	5	-	24	3
339	1	0	13	7	202	5	-	26	3
340	1	0	13	7	198	5	-	22	3
341	1	0	13	7	194	5	-	24	3
342	1	0	13	7	178	5	-	20	3
343	1	0	12	6	256	5	-	32	3
344	1	0	12	6	240	5	-	28	3
345	1	0	12	6	220	5	-	26	4
346	1	0	12	6	216	5	-	22	3
347	1	0	12	6	212	5	-	24	3
348	1	0	12	6	204	5	-	22	3
349	1	0	12	6	184	5	-	20	4
350	1	0	11	5	254	5	-	30	4
351	1	0	11	5	238	5	-	26	3
352	1	0	11	5	218	5	-	24	3
353	1	0	11	5	202	5	-	20	3
354	1	0	11	5	182	5	-	18	3
355	1	0	22	22	377	11	2	62	2
356	1	0	22	22	320	14	2	56	4
357	1	0	20	20	314	12	2	52	3
358	1	0	17	17	272	5	0	48	3
359	1	0	16	16	306	12	2	44	3
360	1	0	16	16	273	8	0	36	3

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
361	1	0	16	16	245	11	2	38	3
362	1	0	16	16	213	11	2	30	3
363	1	0	15	15	242	7	0	36	3
364	1	0	15	15	228	5	0	34	3
365	1	0	15	15	210	7	0	28	3
366	1	0	14	14	337	13	2	48	3
367	1	0	14	14	313	11	2	46	3
368	1	0	14	14	304	14	2	40	4
369	1	0	14	14	294	12	2	44	3
370	1	0	14	14	268	14	2	36	3
371	1	0	14	14	252	7	0	32	3
372	1	0	14	14	247	6	0	34	3
373	1	0	14	14	245	8	0	32	3
374	1	0	14	14	242	12	2	34	3
375	1	0	14	14	241	11	2	34	3
376	1	0	14	14	239	6	0	32	3
377	1	0	14	14	235	6	0	34	3
378	1	0	14	14	209	8	0	26	3
379	1	0	14	14	201	8	0	24	3
380	1	0	14	14	193	13	2	24	4
381	1	0	13	13	238	7	0	32	3
382	1	0	13	13	232	5	0	32	3
383	1	0	13	13	224	5	0	30	3
384	1	0	12	12	293	13	2	40	3
385	1	0	12	12	288	11	0	30	4
386	1	0	12	12	278	9	0	34	3
387	1	0	12	12	269	11	2	38	3
388	1	0	12	12	256	7	0	30	3
389	1	0	12	12	251	6	0	32	3
390	1	0	12	12	248	7	0	28	3
391	1	0	12	12	243	8	0	26	3
392	1	0	12	12	243	6	0	30	3
393	1	0	12	12	238	12	2	30	3
394	1	0	12	12	235	6	0	28	3
395	1	0	12	12	225	8	0	24	3
396	1	0	12	12	223	6	0	28	3
397	1	0	12	12	221	13	2	28	3
398	1	0	12	12	217	11	2	28	3
399	1	0	12	12	215	6	0	26	3
400	1	0	12	12	207	6	0	24	3

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
401	1	0	11	11	260	5	0	36	3
402	1	0	11	11	250	7	0	32	3
403	1	0	11	11	244	5	0	32	3
404	1	0	11	11	228	5	0	28	3
405	1	0	11	11	220	5	0	26	3
406	1	0	11	11	212	5	0	24	3
407	1	0	11	11	208	5	0	26	3
408	1	0	11	11	206	7	0	24	3
409	1	0	10	10	296	14	2	32	5
410	1	0	10	10	286	12	2	36	4
411	1	0	10	10	274	9	0	30	3
412	1	0	10	10	265	11	2	34	3
413	1	0	10	10	255	6	0	30	3
414	1	0	10	10	247	6	0	28	3
415	1	0	10	10	245	11	2	32	3
416	1	0	10	10	234	12	2	26	4
417	1	0	10	10	231	6	0	24	3
418	1	0	10	10	219	6	0	24	3
419	1	0	10	10	217	8	0	22	3
420	1	0	10	10	211	6	0	22	3
421	1	0	10	10	193	11	2	22	3
422	1	0	10	10	173	11	2	20	3
423	1	0	9	9	256	5	0	32	3
424	1	0	9	9	240	5	0	28	3
425	1	0	9	9	216	5	0	22	3
426	1	0	9	9	212	5	0	24	4
427	1	0	9	9	204	5	0	22	3
428	1	0	9	9	202	7	0	20	3
429	1	0	8	8	238	5	0	26	3
430	1	0	8	8	222	5	0	22	3
431	1	0	7	7	252	5	0	28	3
432	1	0	7	7	208	5	0	20	4
433	1	0	6	6	246	5	0	30	3
434	1	2	12	-	196	11	-	-	3
435	1	2	12	-	193	10	-	-	3
436	2	1	12	12	168	8	-	-	3
437	2	1	12	12	166	7	-	-	3
438	2	0	16	16	216	14	2	40	3
439	2	0	16	16	214	13	2	40	3
440	2	0	12	12	212	17	0	28	4

(1, 4, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
441	2	0	12	12	200	11	0	28	3
442	2	0	12	12	194	8	0	28	3
443	2	0	8	8	200	14	2	24	4
444	2	0	8	8	192	11	0	20	4
445	2	0	8	8	186	8	0	20	3
446	2	2	20	-	140	13	-	-	4
447	2	2	20	-	136	11	-	-	3
448	2	2	20	-	134	10	-	-	2
449	2	2	8	-	164	13	-	-	4
450	2	2	8	-	160	11	-	-	3

(2, 2, 2, 3, 18)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	65	5	280	4	-	-	1
2	1	1	39	15	267	5	-	-	2
3	1	1	29	17	256	4	-	-	2
4	1	1	23	23	265	7	-	-	2
5	1	0	52	4	302	5	-	54	2
6	1	0	48	0	313	10	-	56	2
7	1	0	42	6	318	5	-	54	2
8	1	0	32	8	305	6	-	46	2
9	1	0	26	14	302	5	-	46	2
10	1	0	24	24	376	7	1	63	2
11	1	0	24	24	347	8	1	55	3
12	1	0	16	16	437	11	3	57	3
13	1	0	16	16	405	9	2	56	2
14	1	0	16	16	403	15	2	58	3
15	1	0	16	16	344	7	1	47	3
16	2	0	16	16	226	15	3	42	3
17	2	0	8	8	182	11	2	24	3
18	2	2	20	-	134	8	-	-	2
19	2	2	12	-	142	12	-	-	3

(2, 2, 2, 4, 10)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	69	3	266	4	-	-	2
2	1	1	48	6	248	4	-	-	2
3	1	1	46	10	235	5	-	-	2
4	1	1	45	9	251	5	-	-	2
5	1	1	40	4	223	5	-	-	3
6	1	1	40	4	222	4	-	-	2
7	1	1	39	9	242	4	-	-	2
8	1	1	38	8	224	4	-	-	2
9	1	1	33	3	214	4	-	-	3
10	1	1	35	11	228	6	-	-	3
11	1	1	27	9	214	4	-	-	3
12	1	1	26	8	212	4	-	-	3
13	1	1	29	17	243	5	-	-	2
14	1	1	27	15	245	7	-	-	2
15	1	1	25	13	219	5	-	-	2
16	1	1	25	13	203	5	-	-	2
17	1	1	23	11	215	5	-	-	2
18	1	1	22	10	210	4	-	-	3
19	1	1	21	9	211	5	-	-	3
20	1	1	21	9	195	5	-	-	3
21	1	1	19	7	197	7	-	-	3
22	1	1	24	18	236	4	-	-	2
23	1	1	23	23	229	5	-	-	2
24	1	1	19	19	226	8	-	-	3
25	1	1	15	15	219	7	-	-	3
26	1	1	15	15	213	5	-	-	3
27	1	0	48	0	265	10	-	48	2
28	1	0	48	0	218	11	-	40	3
29	1	0	42	6	302	5	-	54	2
30	1	0	39	3	274	5	-	48	2
31	1	0	38	2	273	6	-	46	2
32	1	0	41	11	294	5	-	58	2
33	1	0	38	8	298	5	-	52	2
34	1	0	35	5	286	5	-	46	2
35	1	0	35	5	270	5	-	46	2
36	1	0	32	2	258	5	-	40	2
37	1	0	33	9	306	5	-	56	2
38	1	0	32	8	241	6	-	38	2
39	1	0	30	6	281	6	-	42	2
40	1	0	28	4	289	6	-	46	3

(2, 2, 2, 4, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	1	0	28	4	258	7	-	38	3
42	1	0	28	4	257	6	-	38	2
43	1	0	28	4	254	5	-	38	3
44	1	0	28	4	225	6	-	30	3
45	1	0	28	4	217	10	-	32	3
46	1	0	27	3	282	5	-	44	2
47	1	0	27	3	250	5	-	36	3
48	1	0	26	2	249	6	-	34	2
49	1	0	24	0	279	8	-	38	3
50	1	0	27	9	262	5	-	42	2
51	1	0	26	8	258	5	-	40	2
52	1	0	25	7	254	5	-	38	2
53	1	0	24	6	250	5	-	36	2
54	1	0	23	5	246	5	-	34	3
55	1	0	22	4	242	5	-	32	3
56	1	0	26	14	273	6	-	46	2
57	1	0	25	13	267	6	-	44	3
58	1	0	23	11	259	6	-	40	3
59	1	0	23	11	258	5	-	40	2
60	1	0	22	10	257	6	-	38	2
61	1	0	22	10	254	5	-	38	3
62	1	0	21	9	250	5	-	36	3
63	1	0	20	8	255	8	-	34	2
64	1	0	20	8	249	6	-	34	2
65	1	0	19	7	242	5	-	32	3
66	1	0	18	6	241	6	-	30	3
67	1	0	23	17	270	5	-	46	2
68	1	0	22	16	282	5	-	44	2
69	1	0	22	16	266	5	-	44	2
70	1	0	21	15	278	5	-	42	2
71	1	0	20	14	258	5	-	40	2
72	1	0	17	11	246	5	-	34	2
73	1	0	16	10	242	5	-	32	3
74	1	0	15	9	238	5	-	30	3
75	1	0	24	24	360	7	1	63	2
76	1	0	20	20	347	8	1	55	3
77	1	0	20	20	303	6	0	54	4
78	1	0	18	18	336	7	1	51	4
79	1	0	18	18	321	8	1	51	3
80	1	0	18	18	320	7	1	51	2

(2, 2, 2, 4, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
81	1	0	16	16	389	9	2	56	2
82	1	0	16	16	355	15	2	50	3
83	1	0	16	16	348	9	1	55	4
84	1	0	16	16	328	7	1	47	3
85	1	0	16	16	308	16	2	42	4
86	1	0	16	16	285	8	1	39	3
87	1	0	16	16	251	10	0	40	4
88	1	0	16	16	231	8	0	30	3
89	1	0	16	16	201	10	0	32	2
90	1	0	15	15	282	5	0	44	3
91	1	0	14	14	336	7	1	51	3
92	1	0	14	14	320	7	1	43	3
93	1	0	14	14	305	8	1	43	4
94	1	0	14	14	304	7	1	43	3
95	1	0	14	14	249	6	0	34	2
96	1	0	13	13	274	5	0	40	3
97	1	0	13	13	242	5	0	32	3
98	1	0	12	12	437	11	3	57	3
99	1	0	12	12	373	9	2	48	3
100	1	0	12	12	359	9	2	48	3
101	1	0	12	12	358	10	2	48	3
102	1	0	12	12	357	9	2	48	2
103	1	0	12	12	325	9	2	40	3
104	1	0	12	12	299	8	1	39	3
105	1	0	12	12	299	8	0	36	3
106	1	0	12	12	296	7	1	39	3
107	1	0	12	12	283	8	1	39	3
108	1	0	12	12	273	15	2	36	3
109	1	0	12	12	273	6	0	38	3
110	1	0	12	12	243	6	0	30	3
111	1	0	12	12	241	6	0	30	3
112	1	0	12	12	223	15	2	28	3
113	1	0	10	10	288	7	1	35	4
114	1	0	10	10	217	6	0	26	3
115	1	0	8	8	438	12	3	57	4
116	1	0	8	8	375	11	3	41	4
117	1	0	8	8	373	9	2	48	3
118	1	0	8	8	341	15	2	42	4
119	1	0	8	8	341	9	2	40	3
120	1	0	8	8	325	9	2	40	3

(2, 2, 2, 4, 10) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
121	1	0	8	8	291	15	2	34	3
122	1	0	4	4	327	9	2	32	4
123	1	0	4	4	309	9	2	32	4
124	1	0	0	0	359	9	7	37	4
125	1	2	10	-	169	12	-	-	3
126	2	1	10	10	154	7	-	-	3
127	2	0	16	16	226	15	3	42	3
128	2	0	16	16	214	11	2	40	2
129	2	0	8	8	190	15	2	24	3
130	2	0	8	8	184	12	2	24	5
131	2	0	8	8	182	11	2	24	3
132	2	0	0	0	374	5	6	40	3
133	2	0	0	0	362	11	3	34	5
134	2	2	20	-	136	9	-	-	3
135	2	2	20	-	134	8	-	-	2
136	2	2	12	-	144	13	-	-	4
137	2	2	12	-	142	12	-	-	3
138	2	2	12	-	134	8	-	-	3

(2, 2, 2, 4, 10*)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	61	1	261	7	-	-	3
2	1	1	51	3	259	9	-	-	3
3	1	1	31	7	255	13	-	-	3
4	1	1	31	7	243	9	-	-	3
5	1	1	25	13	237	7	-	-	3
6	1	1	21	9	229	7	-	-	4
7	1	1	19	19	243	9	-	-	3
8	1	1	11	11	227	9	-	-	5
9	1	0	48	0	267	12	-	48	3
10	1	0	48	0	233	18	-	42	3
11	1	0	48	0	165	30	-	30	4
12	1	0	38	2	291	8	-	46	3
13	1	0	28	4	281	10	-	38	3
14	1	0	26	14	291	8	-	46	3
15	1	0	22	10	275	8	-	38	3
16	1	0	18	6	259	8	-	30	4
17	1	0	20	20	349	10	1	55	3
18	1	0	16	16	397	13	2	56	3
19	1	0	16	16	329	25	2	44	4
20	1	0	16	16	299	16	1	41	4
21	1	0	16	16	281	10	0	38	4
22	1	0	16	16	235	12	0	32	4
23	1	0	16	16	201	18	0	26	4
24	1	0	12	12	317	10	1	39	4
25	1	0	8	8	493	16	4	58	4
26	1	0	8	8	365	13	2	40	4
27	2	0	16	16	250	24	4	44	4
28	2	0	16	16	248	25	4	44	4
29	2	0	16	16	224	18	2	40	4
30	2	0	16	16	216	14	2	40	4
31	2	0	16	16	50	33	2	16	4
32	2	0	8	8	194	17	2	24	4
33	2	2	20	-	160	23	-	-	4
34	2	2	20	-	146	14	-	-	3
35	2	2	20	-	144	15	-	-	4
36	2	2	20	-	136	11	-	-	3
37	2	2	12	-	162	22	-	-	4
38	2	2	4	-	146	14	-	-	5
39	4	4	-	-	-	20	-	-	4

(2, 2, 2, 6, 6)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	86	2	298	4	-	-	1
2	1	1	73	1	252	4	-	-	2
3	1	1	55	7	275	5	-	-	2
4	1	1	52	4	234	4	-	-	2
5	1	1	51	3	235	5	-	-	3
6	1	1	49	1	228	4	-	-	2
7	1	1	44	8	262	4	-	-	2
8	1	1	40	4	222	4	-	-	3
9	1	1	38	2	218	4	-	-	3
10	1	1	35	11	265	7	-	-	2
11	1	1	35	11	227	5	-	-	4
12	1	1	34	10	222	4	-	-	2
13	1	1	33	9	223	5	-	-	2
14	1	1	31	7	225	7	-	-	3
15	1	1	31	7	219	5	-	-	2
16	1	1	31	7	216	4	-	-	2
17	1	1	30	6	214	4	-	-	5
18	1	1	29	5	215	5	-	-	2
19	1	1	29	5	212	4	-	-	3
20	1	1	28	4	210	4	-	-	3
21	1	1	27	3	217	7	-	-	3
22	1	1	25	1	204	4	-	-	3
23	1	1	26	14	250	4	-	-	2
24	1	1	25	13	200	4	-	-	2
25	1	1	24	12	214	4	-	-	2
26	1	1	22	10	210	4	-	-	3
27	1	1	21	9	211	5	-	-	3
28	1	1	21	9	192	4	-	-	3
29	1	1	20	8	206	4	-	-	3
30	1	1	19	7	191	5	-	-	3
31	1	1	18	6	202	4	-	-	3
32	1	1	17	5	203	5	-	-	3
33	1	1	17	5	193	7	-	-	3
34	1	1	16	4	198	4	-	-	5
35	1	1	23	23	259	5	-	-	2
36	1	1	23	23	227	5	-	-	2
37	1	1	19	19	225	7	-	-	4
38	1	1	19	19	219	5	-	-	3
39	1	1	19	19	216	4	-	-	2
40	1	1	19	19	187	5	-	-	3

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	1	1	18	18	214	4	-	-	3
42	1	1	17	17	215	5	-	-	3
43	1	1	16	16	210	4	-	-	3
44	1	1	15	15	217	7	-	-	3
45	1	1	15	15	211	5	-	-	3
46	1	1	15	15	208	4	-	-	3
47	1	1	14	14	206	4	-	-	3
48	1	1	13	13	207	5	-	-	3
49	1	1	13	13	204	4	-	-	3
50	1	1	11	11	203	5	-	-	4
51	1	1	11	11	200	4	-	-	4
52	1	1	11	11	177	7	-	-	3
53	1	1	11	11	171	5	-	-	3
54	1	1	10	10	198	4	-	-	5
55	1	1	9	9	183	5	-	-	3
56	1	1	9	9	180	4	-	-	3
57	1	0	52	4	302	5	-	54	2
58	1	0	52	4	282	9	-	54	3
59	1	0	49	1	234	5	-	42	2
60	1	0	48	0	313	10	-	56	2
61	1	0	48	0	257	6	-	46	2
62	1	0	48	0	217	10	-	40	3
63	1	0	45	9	330	5	-	60	2
64	1	0	42	6	294	5	-	56	2
65	1	0	42	6	294	5	-	56	2
66	1	0	41	5	274	5	-	50	2
67	1	0	39	3	306	5	-	48	2
68	1	0	39	3	266	5	-	46	3
69	1	0	39	3	250	5	-	42	2
70	1	0	36	0	270	5	-	44	3
71	1	0	36	0	254	5	-	40	2
72	1	0	40	16	308	7	-	62	2
73	1	0	35	11	290	5	-	54	2
74	1	0	34	10	278	5	-	50	3
75	1	0	32	8	305	6	-	46	2
76	1	0	32	8	302	5	-	54	3
77	1	0	32	8	276	7	-	46	3
78	1	0	32	8	241	6	-	38	2
79	1	0	31	7	266	5	-	44	3
80	1	0	31	7	250	5	-	40	3

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
81	1	0	31	7	226	5	-	34	2
82	1	0	30	6	270	5	-	44	2
83	1	0	30	6	265	6	-	42	2
84	1	0	30	6	246	5	-	38	3
85	1	0	29	5	266	5	-	42	2
86	1	0	29	5	266	5	-	42	2
87	1	0	29	5	250	5	-	38	2
88	1	0	29	5	242	5	-	36	3
89	1	0	29	5	234	5	-	34	2
90	1	0	28	4	289	6	-	46	3
91	1	0	28	4	260	7	-	38	3
92	1	0	28	4	257	6	-	38	3
93	1	0	28	4	254	5	-	38	2
94	1	0	28	4	254	5	-	38	5
95	1	0	28	4	254	5	-	38	2
96	1	0	28	4	246	5	-	36	3
97	1	0	28	4	244	7	-	34	2
98	1	0	28	4	238	5	-	34	2
99	1	0	28	4	238	5	-	34	2
100	1	0	28	4	231	8	-	30	3
101	1	0	28	4	228	7	-	30	4
102	1	0	28	4	225	6	-	30	3
103	1	0	28	4	222	5	-	30	3
104	1	0	28	4	217	10	-	32	3
105	1	0	27	3	242	5	-	34	2
106	1	0	27	3	242	5	-	34	2
107	1	0	27	3	234	5	-	32	3
108	1	0	27	3	226	5	-	30	3
109	1	0	26	2	254	5	-	36	3
110	1	0	26	2	254	5	-	36	3
111	1	0	26	2	249	6	-	34	3
112	1	0	26	2	249	6	-	34	2
113	1	0	26	2	230	5	-	30	3
114	1	0	26	2	230	5	-	30	4
115	1	0	25	1	234	5	-	30	3
116	1	0	25	1	234	5	-	30	4
117	1	0	25	1	218	5	-	26	3
118	1	0	24	0	279	8	-	38	3
119	1	0	24	0	273	6	-	38	3
120	1	0	24	0	231	8	-	26	4

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
121	1	0	24	0	230	5	-	28	3
122	1	0	24	0	225	6	-	26	3
123	1	0	24	0	201	10	-	24	3
124	1	0	33	21	354	5	-	74	2
125	1	0	27	15	306	5	-	48	2
126	1	0	27	15	282	5	-	50	3
127	1	0	25	13	298	5	-	44	2
128	1	0	25	13	290	5	-	50	2
129	1	0	25	13	250	5	-	40	3
130	1	0	24	12	318	5	-	56	2
131	1	0	24	12	262	5	-	42	3
132	1	0	23	11	298	5	-	50	3
133	1	0	23	11	274	5	-	44	2
134	1	0	23	11	266	5	-	42	3
135	1	0	22	10	278	5	-	44	3
136	1	0	22	10	262	5	-	40	3
137	1	0	22	10	246	5	-	36	2
138	1	0	22	10	233	6	-	32	3
139	1	0	22	10	222	5	-	34	3
140	1	0	21	9	274	5	-	42	3
141	1	0	21	9	258	5	-	38	2
142	1	0	21	9	258	5	-	38	3
143	1	0	21	9	250	5	-	36	2
144	1	0	21	9	242	5	-	34	2
145	1	0	21	9	242	5	-	34	2
146	1	0	21	9	234	5	-	32	3
147	1	0	21	9	226	5	-	30	3
148	1	0	20	8	286	5	-	44	4
149	1	0	20	8	270	5	-	40	3
150	1	0	20	8	257	6	-	36	3
151	1	0	20	8	254	5	-	36	3
152	1	0	20	8	246	5	-	34	2
153	1	0	20	8	246	5	-	34	2
154	1	0	20	8	238	5	-	32	3
155	1	0	19	7	266	5	-	38	4
156	1	0	19	7	258	5	-	36	3
157	1	0	19	7	250	5	-	34	3
158	1	0	19	7	250	5	-	34	3
159	1	0	19	7	250	5	-	34	3
160	1	0	19	7	242	5	-	32	3

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
161	1	0	19	7	242	5	-	32	3
162	1	0	19	7	234	5	-	30	2
163	1	0	19	7	234	5	-	30	2
164	1	0	19	7	226	5	-	28	3
165	1	0	18	6	294	5	-	44	2
166	1	0	18	6	278	5	-	40	3
167	1	0	18	6	262	5	-	36	3
168	1	0	18	6	254	5	-	34	3
169	1	0	18	6	253	10	-	30	3
170	1	0	18	6	247	8	-	30	3
171	1	0	18	6	246	5	-	32	3
172	1	0	18	6	238	5	-	30	3
173	1	0	18	6	233	6	-	28	3
174	1	0	18	6	231	8	-	26	3
175	1	0	18	6	230	5	-	28	3
176	1	0	18	6	230	5	-	28	3
177	1	0	18	6	230	5	-	28	3
178	1	0	18	6	228	7	-	26	3
179	1	0	18	6	225	6	-	26	3
180	1	0	18	6	225	6	-	26	3
181	1	0	18	6	222	5	-	30	2
182	1	0	18	6	205	10	-	22	3
183	1	0	18	6	197	6	-	26	3
184	1	0	17	5	274	5	-	38	3
185	1	0	17	5	242	5	-	30	3
186	1	0	17	5	242	5	-	30	3
187	1	0	17	5	234	5	-	28	3
188	1	0	17	5	234	5	-	28	3
189	1	0	17	5	226	5	-	26	3
190	1	0	17	5	226	5	-	26	3
191	1	0	16	4	249	6	-	30	3
192	1	0	16	4	246	5	-	30	3
193	1	0	16	4	241	6	-	28	3
194	1	0	16	4	238	5	-	28	3
195	1	0	16	4	238	5	-	28	3
196	1	0	16	4	233	6	-	26	3
197	1	0	16	4	230	5	-	26	3
198	1	0	16	4	222	5	-	24	4
199	1	0	16	4	209	6	-	24	3
200	1	0	15	3	282	5	-	38	3

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
201	1	0	15	3	250	5	-	30	3
202	1	0	15	3	234	5	-	26	3
203	1	0	15	3	226	5	-	24	3
204	1	0	14	2	222	5	-	22	3
205	1	0	30	30	400	7	1	75	2
206	1	0	24	24	347	8	1	55	5
207	1	0	24	24	344	7	1	63	3
208	1	0	24	24	295	8	0	54	3
209	1	0	20	20	421	9	2	64	2
210	1	0	20	20	334	9	1	55	3
211	1	0	20	20	305	6	0	54	3
212	1	0	20	20	302	5	0	54	2
213	1	0	19	19	266	5	0	44	2
214	1	0	19	19	258	5	0	42	2
215	1	0	19	19	258	5	0	42	2
216	1	0	18	18	368	7	1	63	3
217	1	0	18	18	352	7	1	51	3
218	1	0	18	18	320	7	1	51	3
219	1	0	18	18	312	7	1	49	3
220	1	0	18	18	278	5	0	46	2
221	1	0	18	18	272	7	1	39	5
222	1	0	18	18	262	5	0	42	3
223	1	0	17	17	258	5	0	40	3
224	1	0	16	16	403	15	2	58	3
225	1	0	16	16	379	11	2	56	3
226	1	0	16	16	373	9	2	56	3
227	1	0	16	16	347	8	1	55	5
228	1	0	16	16	344	7	1	55	5
229	1	0	16	16	341	9	2	48	3
230	1	0	16	16	328	7	1	51	5
231	1	0	16	16	320	7	1	49	3
232	1	0	16	16	307	15	2	42	5
233	1	0	16	16	283	8	1	39	3
234	1	0	16	16	269	10	0	38	4
235	1	0	16	16	263	8	0	38	3
236	1	0	16	16	254	5	0	38	3
237	1	0	16	16	254	5	0	38	3
238	1	0	16	16	254	5	0	38	3
239	1	0	16	16	249	10	0	40	3
240	1	0	16	16	231	8	0	30	3

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
241	1	0	16	16	225	6	0	30	3
242	1	0	16	16	153	10	0	24	3
243	1	0	15	15	250	5	0	36	2
244	1	0	15	15	242	5	0	34	3
245	1	0	15	15	242	5	0	34	3
246	1	0	15	15	234	5	0	32	3
247	1	0	14	14	336	7	1	43	5
248	1	0	14	14	320	7	1	47	4
249	1	0	14	14	312	7	1	45	3
250	1	0	14	14	304	7	1	43	3
251	1	0	14	14	296	7	1	41	3
252	1	0	14	14	288	7	1	39	4
253	1	0	14	14	280	7	1	37	3
254	1	0	14	14	265	6	0	38	3
255	1	0	14	14	262	5	0	38	3
256	1	0	14	14	254	5	0	36	3
257	1	0	14	14	249	6	0	34	3
258	1	0	14	14	249	6	0	34	3
259	1	0	14	14	238	5	0	32	3
260	1	0	14	14	238	5	0	32	3
261	1	0	14	14	233	6	0	30	5
262	1	0	14	14	230	5	0	30	3
263	1	0	13	13	258	5	0	36	3
264	1	0	13	13	250	5	0	34	3
265	1	0	13	13	242	5	0	32	2
266	1	0	13	13	242	5	0	32	2
267	1	0	13	13	234	5	0	30	3
268	1	0	13	13	234	5	0	30	3
269	1	0	13	13	234	5	0	30	3
270	1	0	13	13	218	5	0	26	3
271	1	0	12	12	389	9	2	48	3
272	1	0	12	12	389	9	2	56	3
273	1	0	12	12	357	9	2	48	3
274	1	0	12	12	344	7	1	51	3
275	1	0	12	12	329	6	0	38	3
276	1	0	12	12	325	10	0	34	5
277	1	0	12	12	325	9	2	40	3
278	1	0	12	12	312	7	1	43	3
279	1	0	12	12	304	7	1	41	3
280	1	0	12	12	299	8	0	36	4

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
281	1	0	12	12	299	8	1	39	5
282	1	0	12	12	296	7	1	39	5
283	1	0	12	12	288	7	1	37	4
284	1	0	12	12	286	9	1	35	4
285	1	0	12	12	280	7	1	35	3
286	1	0	12	12	279	8	0	38	3
287	1	0	12	12	276	11	1	31	5
288	1	0	12	12	273	10	1	31	5
289	1	0	12	12	273	6	0	38	3
290	1	0	12	12	272	7	1	37	3
291	1	0	12	12	271	15	2	36	3
292	1	0	12	12	267	8	1	31	5
293	1	0	12	12	254	5	0	34	3
294	1	0	12	12	253	10	0	30	4
295	1	0	12	12	247	8	0	30	3
296	1	0	12	12	246	5	0	32	3
297	1	0	12	12	245	9	2	34	3
298	1	0	12	12	243	11	2	32	3
299	1	0	12	12	241	6	0	30	3
300	1	0	12	12	238	5	0	30	3
301	1	0	12	12	238	5	0	30	3
302	1	0	12	12	238	5	0	30	3
303	1	0	12	12	238	5	0	30	3
304	1	0	12	12	233	6	0	28	3
305	1	0	12	12	231	8	0	26	4
306	1	0	12	12	230	5	0	28	3
307	1	0	12	12	228	7	0	26	3
308	1	0	12	12	227	8	0	32	4
309	1	0	12	12	225	6	0	26	3
310	1	0	12	12	222	5	0	30	3
311	1	0	12	12	217	6	0	24	3
312	1	0	12	12	215	8	0	22	3
313	1	0	12	12	211	8	0	28	5
314	1	0	12	12	197	9	2	26	3
315	1	0	12	12	185	9	2	26	5
316	1	0	12	12	175	15	2	20	4
317	1	0	11	11	242	5	0	30	3
318	1	0	11	11	242	5	0	30	3
319	1	0	11	11	234	5	0	28	3
320	1	0	11	11	234	5	0	28	3

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
321	1	0	11	11	226	5	0	26	3
322	1	0	11	11	218	5	0	24	3
323	1	0	10	10	304	7	1	39	5
324	1	0	10	10	296	7	1	37	3
325	1	0	10	10	288	7	1	35	4
326	1	0	10	10	280	7	1	33	4
327	1	0	10	10	272	7	1	31	3
328	1	0	10	10	254	5	0	32	2
329	1	0	10	10	249	6	0	30	3
330	1	0	10	10	249	6	0	30	3
331	1	0	10	10	246	5	0	30	3
332	1	0	10	10	241	6	0	28	3
333	1	0	10	10	241	6	0	28	3
334	1	0	10	10	233	6	0	26	3
335	1	0	10	10	230	5	0	26	3
336	1	0	10	10	230	5	0	26	4
337	1	0	10	10	222	5	0	24	3
338	1	0	10	10	214	5	0	26	3
339	1	0	10	10	209	6	0	24	3
340	1	0	10	10	206	5	0	24	3
341	1	0	10	10	198	5	0	22	3
342	1	0	9	9	234	5	0	26	3
343	1	0	9	9	226	5	0	24	3
344	1	0	9	9	218	5	0	22	3
345	1	0	8	8	437	11	3	57	5
346	1	0	8	8	373	11	3	41	5
347	1	0	8	8	373	9	2	48	3
348	1	0	8	8	347	11	2	40	4
349	1	0	8	8	341	9	2	40	3
350	1	0	8	8	339	15	2	42	4
351	1	0	8	8	335	8	0	34	3
352	1	0	8	8	333	9	2	38	5
353	1	0	8	8	329	6	0	34	3
354	1	0	8	8	328	7	1	43	3
355	1	0	8	8	327	12	0	36	5
356	1	0	8	8	315	8	1	39	5
357	1	0	8	8	313	6	0	30	3
358	1	0	8	8	309	9	2	32	4
359	1	0	8	8	309	9	2	40	3
360	1	0	8	8	296	7	1	35	3

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
361	1	0	8	8	296	7	1	39	3
362	1	0	8	8	283	8	1	31	5
363	1	0	8	8	283	8	1	39	5
364	1	0	8	8	280	7	1	35	4
365	1	0	8	8	280	7	1	31	4
366	1	0	8	8	275	15	2	26	4
367	1	0	8	8	272	7	1	29	4
368	1	0	8	8	270	9	1	27	5
369	1	0	8	8	267	8	1	31	5
370	1	0	8	8	264	7	1	31	3
371	1	0	8	8	263	8	0	30	3
372	1	0	8	8	257	6	0	30	4
373	1	0	8	8	254	5	0	30	3
374	1	0	8	8	249	13	2	28	4
375	1	0	8	8	243	15	2	26	4
376	1	0	8	8	243	11	2	28	3
377	1	0	8	8	229	9	2	26	4
378	1	0	8	8	229	9	2	26	3
379	1	0	8	8	211	11	2	24	4
380	1	0	8	8	207	11	2	26	5
381	1	0	8	8	206	5	0	22	3
382	1	0	8	8	198	5	0	20	3
383	1	0	8	8	193	6	0	22	3
384	1	0	8	8	181	9	2	18	3
385	1	0	6	6	280	7	1	29	4
386	1	0	6	6	272	7	1	27	5
387	1	0	4	4	357	9	2	40	3
388	1	0	4	4	333	9	2	38	5
389	1	0	4	4	325	9	2	32	6
390	1	0	4	4	317	9	2	30	5
391	1	0	4	4	264	7	1	27	4
392	1	0	0	0	405	11	3	41	4
393	1	0	0	0	377	5	7	37	5
394	1	0	0	0	277	9	2	24	4
395	1	2	10	-	187	8	-	-	5
396	1	2	10	-	171	8	-	-	3
397	1	2	10	-	167	12	-	-	4
398	2	1	10	10	154	7	-	-	3
399	2	1	10	10	154	7	-	-	3
400	2	1	10	10	150	5	-	-	3

(2, 2, 2, 6, 6) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
401	2	0	16	16	226	15	3	42	5
402	2	0	16	16	214	11	2	40	3
403	2	0	8	8	194	15	3	26	5
404	2	0	8	8	190	15	2	24	4
405	2	0	8	8	186	14	1	22	6
406	2	0	8	8	182	12	0	20	4
407	2	0	8	8	182	11	2	24	3
408	2	0	8	8	182	11	2	24	3
409	2	0	8	8	178	10	0	20	3
410	2	0	8	8	178	9	2	24	3
411	2	0	8	8	174	8	0	20	3
412	2	0	8	8	174	8	1	22	5
413	2	0	8	8	170	3	0	20	3
414	2	0	0	0	394	9	7	42	5
415	2	0	0	0	374	5	6	40	3
416	2	2	20	-	134	8	-	-	2
417	2	2	12	-	142	12	-	-	3
418	2	2	12	-	134	8	-	-	4

(2, 2, 3, 3, 8)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	39	15	251	5	-	-	1
2	1	0	48	0	185	10	-	30	2
3	1	0	16	16	389	9	2	56	2
4	1	0	16	16	269	13	2	32	2
5	2	0	16	16	218	13	2	40	2
6	2	0	0	0	378	7	6	40	3
7	2	0	0	0	374	5	6	40	3
8	2	2	20	-	134	8	-	-	2

(2, 2, 4, 4, 4)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	60	6	287	5	-	-	1
2	1	1	51	3	252	6	-	-	2
3	1	1	36	6	231	5	-	-	2
4	1	1	36	6	215	5	-	-	4
5	1	1	35	11	231	7	-	-	3
6	1	1	31	7	220	6	-	-	3
7	1	1	30	12	215	5	-	-	2
8	1	1	29	17	229	5	-	-	2
9	1	1	21	9	197	5	-	-	4
10	1	1	21	9	181	5	-	-	4
11	1	1	20	14	207	5	-	-	2
12	1	1	20	14	191	5	-	-	2
13	1	1	16	10	183	5	-	-	4
14	1	1	19	19	204	6	-	-	2
15	1	1	15	15	185	5	-	-	5
16	1	0	43	1	289	6	-	50	2
17	1	0	33	3	257	6	-	42	2
18	1	0	32	8	274	7	-	46	2
19	1	0	30	6	273	6	-	42	2
20	1	0	28	4	258	7	-	38	3
21	1	0	26	2	241	6	-	34	2
22	1	0	27	9	273	6	-	42	2
23	1	0	27	9	257	6	-	42	2
24	1	0	23	5	241	6	-	34	2
25	1	0	22	10	243	6	-	38	2
26	1	0	18	6	227	6	-	30	5
27	1	0	25	19	289	6	-	50	2
28	1	0	17	11	241	6	-	34	2
29	1	0	17	11	225	6	-	34	4
30	1	0	13	7	209	6	-	26	4
31	1	0	22	22	437	9	2	68	2
32	1	0	16	16	390	10	2	56	3
33	1	0	16	16	258	7	0	38	3
34	1	0	14	14	373	9	2	52	2
35	1	0	14	14	241	6	0	34	2
36	1	0	12	12	361	11	2	48	4
37	1	0	12	12	359	9	2	48	3
38	1	0	12	12	358	10	2	48	3
39	1	0	12	12	227	6	0	30	3
40	1	0	10	10	341	9	2	44	2

(2, 2, 4, 4, 4) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	1	0	10	10	209	6	0	26	5
42	1	0	8	8	327	9	2	40	4
43	1	0	8	8	326	10	2	40	3
44	1	0	8	8	325	8	2	40	99
45	1	0	6	6	309	9	2	36	4
46	1	0	4	4	299	9	2	32	5
47	2	0	16	16	216	12	2	40	3
48	2	0	16	16	214	11	2	40	2
49	2	0	8	8	184	12	2	24	4
50	2	0	8	8	182	12	2	24	99
51	2	0	8	8	182	11	2	24	4
52	2	0	8	8	182	11	2	24	5
53	2	0	0	0	376	6	6	40	4
54	2	0	0	0	374	5	6	40	5
55	2	2	20	-	140	11	-	-	4
56	2	2	20	-	136	9	-	-	3
57	2	2	20	-	134	8	-	-	2
58	2	2	12	-	136	9	-	-	4
59	2	2	12	-	134	8	-	-	4

(3, 3, 3, 3, 3)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	101	1	330	4	-	-	1
2	1	1	49	5	258	4	-	-	2
3	1	1	21	1	210	4	-	-	4
4	1	1	23	7	222	4	-	-	3
5	1	1	21	17	234	4	-	-	2
6	1	1	13	9	210	4	-	-	3
7	1	0	56	0	252	9	-	48	2
8	1	0	40	0	212	9	-	32	3
9	1	0	32	0	192	9	-	24	4
10	1	0	32	0	178	13	-	20	4
11	1	0	30	2	232	5	-	32	3
12	1	0	26	6	232	5	-	32	2
13	1	0	22	2	212	5	-	24	4
14	1	0	24	8	218	9	-	28	3
15	1	0	24	8	178	13	-	20	3

(3, 3, 3, 3, 3) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
16	1	0	20	4	212	5	-	24	3
17	1	0	20	12	258	5	-	36	2
18	1	0	16	8	212	5	-	24	3
19	1	0	16	8	198	9	-	20	3
20	1	0	12	4	218	5	-	20	4
21	1	0	14	10	212	5	-	24	3
22	1	0	10	6	218	5	-	20	4

(1, 5, 44, 481)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	143	143	1023	3	-	-	1

(1, 5, 41, 1804)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	251	251	1779	3	-	-	1

(1, 5, 42, 922)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	257	137	1401	3	-	-	1
2	1	0	138	18	837	4	-	176	2

(1, 5, 43, 628)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	263	95	1285	3	-	-	1
2	1	0	72	48	681	4	-	138	2

(3,3,3,3,3) (continued)									
nr.	N_R	N_L	(S,s)	(S,c)	$(S,0)$	$(V,0)$	(V,v)	(S,v)	order
16	1	0	20	4	212	5	-	24	3
17	1	0	20	12	258	5	-	36	2
18	1	0	16	8	212	5	-	24	3
19	1	0	16	8	198	9	-	20	3
20	1	0	12	4	218	5	-	20	4
21	1	0	14	10	212	5	-	24	3
22	1	0	10	6	218	5	-	20	4

(1,5,44,481)									
nr.	N_R	N_L	(S,s)	(S,c)	$(S,0)$	$(V,0)$	(V,v)	(S,v)	order
1	1	1	143	143	1023	3	-	-	1

(1,5,41,1804)									
nr.	N_R	N_L	(S,s)	(S,c)	$(S,0)$	$(V,0)$	(V,v)	(S,v)	order
1	1	1	251	251	1779	3	-	-	1

(1,5,42,922)									
nr.	N_R	N_L	(S,s)	(S,c)	$(S,0)$	$(V,0)$	(V,v)	(S,v)	order
1	1	1	257	137	1401	3	-	-	1
2	1	0	138	18	837	4	-	176	2

(1,5,43,628)									
nr.	N_R	N_L	(S,s)	(S,c)	$(S,0)$	$(V,0)$	(V,v)	(S,v)	order
1	1	1	263	95	1285	3	-	-	1
2	1	0	72	48	681	4	-	138	2

(1, 5, 46, 334)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	287	47	1195	3	-	-	1
2	1	1	149	101	907	3	-	-	3
3	1	0	198	6	1003	4	-	214	2
4	1	0	168	0	821	4	-	174	2
5	1	0	138	18	825	4	-	176	2
6	1	0	114	18	697	4	-	144	3
7	1	0	108	12	669	4	-	134	3
8	1	0	90	42	701	4	-	144	3
9	1	0	72	24	559	4	-	108	2

(1, 5, 47, 292)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	287	47	1195	3	-	-	1
2	1	0	96	0	573	4	-	108	2
3	1	0	96	0	563	4	-	106	2
4	1	0	96	0	559	4	-	102	2
5	1	0	72	72	739	4	0	166	2

(1, 5, 49, 236)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	107	107	791	3	-	-	1

(1, 5, 52, 187)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	173	53	817	3	-	-	1
2	1	0	144	0	681	4	-	142	2
3	1	0	108	12	673	4	-	138	2
4	1	0	36	36	483	4	0	86	3

(1, 5, 54, 166)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	335	23	1285	3	-	-	1
2	1	1	173	53	817	3	-	-	2
3	1	0	198	6	1003	4	-	214	2
4	1	0	120	0	605	4	-	122	2
5	1	0	114	18	679	4	-	142	2
6	1	0	108	12	651	4	-	132	2
7	1	0	78	6	519	4	-	96	2
8	1	0	78	6	513	4	-	96	2
9	1	0	78	6	507	4	-	90	2
10	1	0	66	42	611	4	-	126	2
11	1	0	36	36	481	4	0	80	3
12	1	0	36	36	469	4	0	78	3
13	1	0	36	36	449	4	0	78	2
14	1	0	24	24	435	4	0	66	2
15	1	0	24	24	417	4	0	66	2

(1, 5, 58, 138)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	131	59	701	3	-	-	1
2	1	0	144	0	697	4	-	142	2
3	1	0	84	12	533	4	-	102	2

(1, 5, 61, 124)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	377	17	1401	3	-	-	1
2	1	1	131	59	701	3	-	-	2
3	1	0	156	12	829	4	-	178	2
4	1	0	150	6	817	4	-	172	2
5	1	0	120	0	601	4	-	122	2
6	1	0	78	6	521	4	-	94	2
7	1	0	78	6	519	4	-	98	2
8	1	0	78	6	511	4	-	94	2
9	1	0	78	6	497	4	-	92	2
10	1	0	66	18	509	4	-	94	3

(1, 5, 61, 124) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
11	1	0	66	42	591	4	-	122	2
12	1	0	36	36	451	4	0	78	3
13	1	0	24	24	401	4	0	62	3

(1, 5, 68, 103)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	221	29	907	3	-	-	1
2	1	0	102	6	549	4	-	110	2
3	1	0	60	12	491	4	-	86	2
4	1	0	60	12	471	4	-	86	2
5	1	0	60	12	459	4	-	78	3

(1, 5, 76, 89)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	83	83	611	3	-	-	1

(1, 5, 82, 82)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	491	11	1779	3	-	-	1
2	1	1	263	23	1023	3	-	-	2
3	1	1	179	35	791	3	-	-	2
4	1	1	83	83	611	3	-	-	3
5	1	0	252	12	1309	4	-	286	2
6	1	0	180	12	969	4	-	210	3
7	1	0	144	0	697	4	-	142	3
8	1	0	138	18	793	4	-	170	2
9	1	0	126	6	677	4	-	140	2
10	1	0	102	6	561	4	-	114	2
11	1	0	96	0	547	4	-	104	2
12	1	0	96	0	545	4	-	102	2
13	1	0	84	12	521	4	-	100	2

(1, 5, 82, 82) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
14	1	0	90	42	695	4	-	144	3
15	1	0	84	36	637	4	-	134	2
16	1	0	60	12	473	4	-	82	3
17	1	0	60	12	455	4	-	78	2
18	1	0	60	12	455	4	-	82	2
19	1	0	60	12	441	4	-	74	3
20	1	0	42	18	429	4	-	70	2
21	1	0	42	18	425	4	-	68	2
22	1	0	42	18	409	4	-	68	2

(1, 6, 23, 598)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	167	119	1041	3	-	-	1
2	1	0	192	0	1065	6	-	224	2
3	1	0	144	48	1203	4	-	248	2
4	1	0	48	48	595	4	0	122	2
5	1	0	32	32	563	4	0	104	3

(1, 6, 24, 310)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	174	66	867	3	-	-	1
2	1	1	124	88	783	3	-	-	2
3	1	1	97	97	701	3	-	-	3
4	1	1	69	69	533	3	-	-	3
5	1	0	148	4	855	6	-	180	2
6	1	0	148	4	775	4	-	166	3
7	1	0	127	19	797	4	-	170	2
8	1	0	112	40	961	4	-	198	3
9	1	0	88	16	655	4	-	130	3
10	1	0	77	41	685	4	-	142	2
11	1	0	52	52	691	4	0	136	3

(1, 6, 25, 214)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	180	48	823	3	-	-	1
2	1	1	128	68	739	3	-	-	2
3	1	0	144	0	793	6	-	162	2
4	1	0	120	0	609	4	-	126	2
5	1	0	106	34	901	4	-	184	2
6	1	0	94	22	637	4	-	138	2
7	1	0	72	0	449	4	-	80	2
8	1	0	40	40	559	4	0	104	3
9	1	0	40	40	509	6	0	96	2
10	1	0	40	40	505	6	0	100	2
11	1	0	36	36	579	4	0	120	2
12	1	0	24	24	419	6	0	74	3

(1, 6, 26, 166)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	190	34	807	3	-	-	1
2	1	1	134	50	691	3	-	-	2
3	1	1	106	46	573	3	-	-	2
4	1	1	74	38	457	3	-	-	3
5	1	1	95	71	609	3	-	-	2
6	1	0	144	0	771	6	-	160	2
7	1	0	133	1	661	4	-	140	3
8	1	0	113	5	629	4	-	132	2
9	1	0	110	14	695	4	-	146	2
10	1	0	104	8	645	6	-	136	3
11	1	0	97	13	621	4	-	126	2
12	1	0	89	5	513	4	-	102	2
13	1	0	106	34	869	4	-	178	2
14	1	0	71	11	491	4	-	96	2
15	1	0	67	7	455	4	-	84	2
16	1	0	80	32	719	4	-	148	3
17	1	0	72	24	563	6	-	116	4
18	1	0	68	20	573	4	-	114	2
19	1	0	59	23	509	4	-	98	2
20	1	0	57	21	483	4	-	96	2
21	1	0	58	34	607	4	-	122	2
22	1	0	48	24	479	4	-	92	3

(1, 6, 26, 166) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
23	1	0	53	41	589	4	-	118	2
24	1	0	53	41	553	4	-	114	2
25	1	0	45	33	443	4	-	84	4
26	1	0	43	31	437	4	-	82	3

(1, 6, 28, 118)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	204	24	815	3	-	-	1
2	1	1	144	36	683	3	-	-	2
3	1	1	118	34	561	3	-	-	2
4	1	1	84	24	429	3	-	-	3
5	1	1	101	53	565	3	-	-	2
6	1	1	75	75	565	3	-	-	2
7	1	0	144	0	771	6	-	160	2
8	1	0	133	1	651	4	-	138	3
9	1	0	111	3	599	4	-	124	2
10	1	0	109	1	559	4	-	116	2
11	1	0	112	16	685	4	-	146	2
12	1	0	100	4	583	6	-	118	2
13	1	0	97	13	619	4	-	126	2
14	1	0	91	7	517	4	-	104	2
15	1	0	89	5	513	4	-	106	2
16	1	0	106	34	869	4	-	178	2
17	1	0	88	16	565	4	-	120	2
18	1	0	82	10	507	4	-	104	2
19	1	0	65	5	413	4	-	78	3
20	1	0	74	26	659	4	-	134	2
21	1	0	74	26	557	4	-	112	2
22	1	0	68	20	521	6	-	106	4
23	1	0	66	18	541	4	-	102	2
24	1	0	64	16	481	6	-	96	2
25	1	0	52	4	377	6	-	68	4
26	1	0	56	32	571	4	-	114	4
27	1	0	52	28	567	4	-	110	2
28	1	0	52	28	467	4	-	90	2
29	1	0	50	26	527	4	-	106	2
30	1	0	46	22	427	4	-	82	2

(1, 6, 28, 118) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
31	1	0	40	16	417	4	-	72	4
32	1	0	38	14	399	4	-	68	2
33	1	0	36	12	405	4	-	74	2
34	1	0	53	41	571	4	-	116	2
35	1	0	49	37	507	4	-	104	2
36	1	0	43	31	433	4	-	80	2
37	1	0	41	29	443	4	-	86	2
38	1	0	36	36	447	6	0	88	3
39	1	0	34	34	499	4	0	98	2

(1, 6, 28*, 118)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	55	55	414	4	-	-	2
2	1	1	39	39	330	4	-	-	3
3	1	0	32	32	404	5	0	78	3
4	1	0	32	32	354	7	0	66	3

(1, 6, 30, 94)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	222	18	863	3	-	-	1
2	1	1	158	26	699	3	-	-	2
3	1	1	118	34	557	3	-	-	2
4	1	1	111	39	549	3	-	-	2
5	1	1	84	24	425	3	-	-	3
6	1	1	81	57	517	3	-	-	2
7	1	1	55	55	445	3	-	-	2
8	1	0	144	0	793	6	-	162	2
9	1	0	133	1	655	4	-	140	3
10	1	0	130	10	709	4	-	150	2
11	1	0	111	3	595	4	-	122	2
12	1	0	96	0	467	4	-	96	2
13	1	0	106	34	901	4	-	184	2
14	1	0	88	16	549	4	-	112	3
15	1	0	84	12	517	4	-	104	2

(1, 6, 30, 94) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
16	1	0	80	8	519	4	-	102	3
17	1	0	78	6	465	4	-	90	3
18	1	0	79	19	595	4	-	122	2
19	1	0	65	5	421	4	-	76	2
20	1	0	65	5	419	4	-	78	2
21	1	0	78	30	565	4	-	122	2
22	1	0	74	26	627	4	-	128	4
23	1	0	68	20	519	6	-	106	3
24	1	0	66	18	549	4	-	106	2
25	1	0	66	18	455	4	-	94	4
26	1	0	64	16	481	4	-	92	3
27	1	0	62	14	467	4	-	92	3
28	1	0	56	8	423	4	-	78	3
29	1	0	54	6	385	4	-	70	3
30	1	0	54	6	379	4	-	62	3
31	1	0	49	13	437	4	-	80	2
32	1	0	49	13	419	4	-	76	2
33	1	0	52	28	567	4	-	110	4
34	1	0	50	26	475	4	-	90	4
35	1	0	50	26	415	4	-	80	4
36	1	0	48	24	415	4	-	80	2
37	1	0	46	22	441	4	-	84	2
38	1	0	51	39	579	4	-	116	2
39	1	0	39	27	447	4	-	82	2
40	1	0	39	27	445	4	-	82	2
41	1	0	37	25	403	4	-	72	3
42	1	0	37	25	385	4	-	66	3
43	1	0	40	40	523	4	0	108	3
44	1	0	40	40	453	4	0	94	2
45	1	0	34	34	423	4	0	76	2
46	1	0	28	28	391	4	0	62	2
47	1	0	22	22	385	4	0	64	2
48	1	0	22	22	375	4	0	58	2
49	1	0	20	20	333	4	0	48	3

(1, 6, 31, 86)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	81	57	521	3	-	-	1
2	1	0	96	0	521	6	-	100	2
3	1	0	68	20	599	4	-	120	2

(1, 6, 34, 70)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	242	14	907	3	-	-	1
2	1	1	176	20	743	3	-	-	2
3	1	1	130	22	567	3	-	-	2
4	1	1	125	29	557	3	-	-	4
5	1	1	98	14	451	3	-	-	3
6	1	1	91	43	505	3	-	-	2
7	1	1	67	43	433	3	-	-	2
8	1	1	53	29	353	3	-	-	4
9	1	1	63	63	473	3	-	-	2
10	1	0	148	4	855	6	-	180	2
11	1	0	135	3	685	4	-	148	3
12	1	0	130	10	711	4	-	150	2
13	1	0	111	3	605	4	-	124	4
14	1	0	109	1	551	4	-	114	2
15	1	0	100	4	561	6	-	116	3
16	1	0	98	2	505	4	-	104	2
17	1	0	96	0	499	6	-	98	3
18	1	0	96	0	489	4	-	94	2
19	1	0	96	0	485	4	-	98	3
20	1	0	87	3	493	4	-	98	2
21	1	0	112	40	961	4	-	198	2
22	1	0	90	18	585	4	-	128	2
23	1	0	88	16	567	4	-	114	3
24	1	0	82	10	515	4	-	106	2
25	1	0	82	10	509	4	-	102	3
26	1	0	80	8	517	4	-	102	2
27	1	0	80	8	455	4	-	94	2
28	1	0	78	6	465	4	-	90	2
29	1	0	78	6	463	4	-	96	4
30	1	0	76	4	435	4	-	86	3
31	1	0	72	0	385	4	-	72	4

(1, 6, 34, 70) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
32	1	0	77	17	605	4	-	122	2
33	1	0	67	7	437	4	-	84	2
34	1	0	67	7	435	4	-	84	2
35	1	0	65	5	415	4	-	78	2
36	1	0	63	3	417	4	-	74	2
37	1	0	72	24	553	6	-	116	2
38	1	0	70	22	579	4	-	114	2
39	1	0	68	20	567	4	-	114	2
40	1	0	64	16	479	4	-	92	3
41	1	0	60	12	441	6	-	86	3
42	1	0	60	12	435	4	-	80	3
43	1	0	60	12	429	4	-	76	2
44	1	0	60	12	399	4	-	72	4
45	1	0	58	10	437	4	-	84	2
46	1	0	58	10	435	4	-	82	4
47	1	0	58	10	425	4	-	78	2
48	1	0	52	4	375	4	-	62	3
49	1	0	52	4	367	6	-	66	3
50	1	0	59	23	483	4	-	96	2
51	1	0	53	17	449	4	-	86	2
52	1	0	51	15	389	4	-	66	3
53	1	0	47	11	431	4	-	80	2
54	1	0	45	9	379	4	-	68	3
55	1	0	45	9	369	4	-	62	2
56	1	0	43	7	377	4	-	62	2
57	1	0	41	5	339	4	-	54	4
58	1	0	41	5	327	4	-	50	2
59	1	0	58	34	601	4	-	122	2
60	1	0	58	34	523	4	-	108	2
61	1	0	50	26	461	4	-	88	2
62	1	0	48	24	483	4	-	90	3
63	1	0	48	24	433	4	-	86	2
64	1	0	46	22	411	4	-	76	3
65	1	0	40	16	387	4	-	68	2
66	1	0	36	12	355	4	-	60	4
67	1	0	36	12	347	4	-	56	4
68	1	0	51	39	593	4	-	118	2
69	1	0	39	27	443	4	-	82	2
70	1	0	39	27	403	4	-	76	2
71	1	0	37	25	385	4	-	64	3

(1, 6, 34, 70) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
72	1	0	33	21	381	4	-	64	3
73	1	0	33	21	367	4	-	60	4
74	1	0	27	15	319	4	-	48	3
75	1	0	42	42	501	4	0	106	2
76	1	0	40	40	453	6	0	96	4
77	1	0	36	36	535	4	0	114	2
78	1	0	36	36	427	6	0	86	2
79	1	0	36	36	417	4	0	78	2
80	1	0	34	34	483	4	0	96	3
81	1	0	32	32	427	4	0	82	2
82	1	0	32	32	407	4	0	78	3
83	1	0	30	30	415	4	0	80	2
84	1	0	30	30	413	4	0	80	2
85	1	0	24	24	367	4	0	64	2

(1, 6, 38, 58)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	143	23	605	3	-	-	1
2	1	1	105	33	525	3	-	-	2
3	1	1	73	49	457	3	-	-	2
4	1	1	67	43	431	3	-	-	2
5	1	1	53	29	351	3	-	-	3
6	1	0	100	4	583	6	-	118	2
7	1	0	100	4	533	4	-	106	2
8	1	0	98	2	509	4	-	106	4
9	1	0	96	0	481	4	-	96	2
10	1	0	96	0	477	6	-	96	4
11	1	0	72	0	395	4	-	70	4
12	1	0	74	26	659	4	-	134	2
13	1	0	68	20	535	4	-	108	3
14	1	0	64	16	457	4	-	90	2
15	1	0	62	14	493	4	-	98	2
16	1	0	60	12	445	4	-	84	2
17	1	0	60	12	425	4	-	80	2
18	1	0	58	10	427	4	-	80	4
19	1	0	58	10	409	4	-	78	2
20	1	0	44	20	419	4	-	76	2

(1, 6, 38, 58) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
21	1	0	42	18	395	4	-	72	2
22	1	0	42	18	363	4	-	64	2
23	1	0	38	14	387	4	-	70	2
24	1	0	36	36	465	4	0	88	2
25	1	0	36	36	425	6	0	86	2
26	1	0	34	34	483	4	0	96	2
27	1	0	34	34	445	4	0	86	4
28	1	0	30	30	377	4	0	68	4

(1, 6, 40, 54)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	105	33	513	3	-	-	1
2	1	1	73	49	465	3	-	-	2
3	1	1	55	55	423	3	-	-	2
4	1	1	39	39	327	3	-	-	3
5	1	0	96	0	499	6	-	98	2
6	1	0	96	0	475	4	-	96	3
7	1	0	82	10	507	4	-	102	2
8	1	0	68	20	567	4	-	114	2
9	1	0	56	8	405	4	-	72	2
10	1	0	50	26	443	4	-	86	2
11	1	0	32	32	391	6	0	76	4
12	1	0	28	28	447	4	0	84	2

(1, 6, 46, 46)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	321	9	1165	3	-	-	1
2	1	1	229	13	917	3	-	-	2
3	1	1	181	13	693	3	-	-	2
4	1	1	163	19	649	3	-	-	3
5	1	1	129	9	525	3	-	-	4
6	1	1	123	27	569	3	-	-	4
7	1	1	123	27	561	3	-	-	2
8	1	1	87	39	481	3	-	-	2

(1, 6, 46, 46) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
9	1	1	87	39	465	3	-	-	4
10	1	1	79	31	441	3	-	-	3
11	1	1	67	19	377	3	-	-	3
12	1	1	59	59	449	3	-	-	5
13	1	1	55	55	421	3	-	-	2
14	1	1	39	39	325	3	-	-	3
15	1	0	192	0	1065	6	-	224	2
16	1	0	170	2	831	4	-	182	3
17	1	0	160	16	887	4	-	194	2
18	1	0	126	6	719	4	-	150	2
19	1	0	121	13	681	4	-	148	2
20	1	0	144	48	1203	4	-	248	2
21	1	0	112	16	663	4	-	138	3
22	1	0	102	6	557	4	-	114	2
23	1	0	100	4	619	4	-	124	4
24	1	0	100	4	539	4	-	114	4
25	1	0	100	4	535	4	-	106	2
26	1	0	100	4	531	4	-	106	3
27	1	0	96	0	521	6	-	100	4
28	1	0	96	0	491	4	-	98	2
29	1	0	96	0	479	4	-	98	4
30	1	0	96	0	477	6	-	96	3
31	1	0	96	0	471	4	-	94	2
32	1	0	93	9	565	4	-	116	2
33	1	0	91	7	505	4	-	102	2
34	1	0	94	22	707	4	-	146	2
35	1	0	78	6	455	4	-	94	2
36	1	0	78	6	447	4	-	90	2
37	1	0	76	4	443	4	-	88	2
38	1	0	72	0	397	4	-	70	2
39	1	0	72	0	385	4	-	72	3
40	1	0	65	5	401	4	-	76	3
41	1	0	80	32	719	4	-	148	3
42	1	0	78	30	583	4	-	124	2
43	1	0	76	28	683	4	-	136	3
44	1	0	68	20	599	4	-	120	4
45	1	0	68	20	535	4	-	108	3
46	1	0	66	18	467	4	-	94	4
47	1	0	66	18	449	4	-	88	3
48	1	0	64	16	497	6	-	98	2

(1, 6, 46, 46) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
49	1	0	64	16	483	4	-	98	2
50	1	0	64	16	475	4	-	92	4
51	1	0	64	16	457	4	-	90	2
52	1	0	64	16	435	4	-	86	4
53	1	0	60	12	503	4	-	98	3
54	1	0	60	12	471	4	-	90	3
55	1	0	60	12	459	4	-	92	4
56	1	0	60	12	423	4	-	80	2
57	1	0	58	10	461	4	-	86	2
58	1	0	58	10	441	4	-	84	2
59	1	0	58	10	425	4	-	78	3
60	1	0	56	8	415	4	-	76	4
61	1	0	56	8	405	4	-	78	3
62	1	0	56	8	399	4	-	74	2
63	1	0	56	8	395	4	-	68	3
64	1	0	56	8	379	4	-	74	3
65	1	0	52	4	369	6	-	68	3
66	1	0	52	4	355	4	-	62	3
67	1	0	57	21	433	4	-	82	3
68	1	0	41	5	329	4	-	52	3
69	1	0	41	5	321	4	-	48	3
70	1	0	66	42	707	4	-	146	2
71	1	0	64	40	547	4	-	116	2
72	1	0	50	26	563	4	-	112	2
73	1	0	50	26	433	4	-	86	3
74	1	0	48	24	429	4	-	82	2
75	1	0	48	24	407	4	-	78	2
76	1	0	46	22	409	4	-	78	2
77	1	0	44	20	419	4	-	76	2
78	1	0	42	18	375	4	-	70	3
79	1	0	40	16	401	4	-	70	4
80	1	0	40	16	391	4	-	70	2
81	1	0	40	16	361	4	-	60	3
82	1	0	38	14	375	4	-	66	2
83	1	0	38	14	367	4	-	62	3
84	1	0	36	12	401	4	-	74	2
85	1	0	36	12	363	4	-	60	3
86	1	0	43	31	431	4	-	80	2
87	1	0	37	25	429	4	-	82	2
88	1	0	37	25	419	4	-	78	2

(1, 6, 46, 46) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
89	1	0	33	21	371	4	-	60	2
90	1	0	33	21	345	4	-	58	2
91	1	0	31	19	373	4	-	64	2
92	1	0	31	19	365	4	-	60	2
93	1	0	29	17	369	4	-	64	2
94	1	0	29	17	327	4	-	54	2
95	1	0	40	40	519	4	0	108	3
96	1	0	36	36	479	4	0	94	3
97	1	0	36	36	479	4	0	90	3
98	1	0	36	36	451	4	0	86	2
99	1	0	36	36	413	6	0	86	3
100	1	0	34	34	469	4	0	88	2
101	1	0	34	34	455	4	0	92	4
102	1	0	32	32	415	4	0	80	3
103	1	0	32	32	389	6	0	76	3
104	1	0	32	32	379	4	0	72	3
105	1	0	30	30	367	4	0	62	2
106	1	0	28	28	447	4	0	84	4
107	1	0	28	28	391	4	0	70	3
108	1	0	28	28	371	4	0	68	4
109	1	0	26	26	391	4	0	70	2

(1, 7, 17, 340)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	143	71	829	3	-	-	1
2	1	0	144	0	821	4	-	172	2
3	1	0	72	72	901	4	0	188	2

(1, 7, 18, 178)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	150	42	715	3	-	-	1
2	1	1	86	74	643	3	-	-	2
3	1	0	120	0	657	4	-	136	2
4	1	0	71	11	493	4	-	96	2
5	1	0	59	23	501	4	-	100	2
6	1	0	40	16	393	4	-	72	2
7	1	0	58	58	733	4	0	154	2
8	1	0	26	26	447	4	0	88	2

(1, 7, 19, 124)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	160	28	687	3	-	-	1
2	1	1	79	55	561	3	-	-	2
3	1	1	64	52	467	3	-	-	2
4	1	0	109	1	619	4	-	128	2
5	1	0	89	5	509	4	-	104	2
6	1	0	73	13	487	4	-	96	2
7	1	0	65	29	529	4	-	112	2
8	1	0	49	13	415	4	-	74	2
9	1	0	44	20	421	4	-	80	2
10	1	0	42	18	419	4	-	76	2
11	1	0	56	56	697	4	0	148	2

(1, 7, 20, 97)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	93	45	529	3	-	-	1
2	1	0	96	0	493	4	-	100	2
3	1	0	44	44	565	4	0	120	2

(1, 7, 22, 70)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	183	15	705	3	-	-	1
2	1	1	103	31	501	3	-	-	2
3	1	1	92	32	543	3	-	-	2
4	1	1	79	31	437	3	-	-	2
5	1	1	59	35	385	3	-	-	3
6	1	1	39	15	307	3	-	-	4
7	1	1	39	15	299	3	-	-	3
8	1	1	62	50	447	3	-	-	2
9	1	0	109	1	619	4	-	128	2
10	1	0	104	8	607	4	-	128	2
11	1	0	96	0	487	4	-	92	2
12	1	0	87	3	479	4	-	98	2
13	1	0	85	1	455	4	-	92	2
14	1	0	85	1	455	4	-	88	2
15	1	0	85	1	439	4	-	86	4
16	1	0	76	4	503	4	-	96	2
17	1	0	76	4	453	4	-	88	4
18	1	0	76	4	441	4	-	86	2
19	1	0	72	0	425	4	-	78	3
20	1	0	73	13	467	4	-	96	2
21	1	0	71	11	455	4	-	90	2
22	1	0	67	7	443	4	-	86	2
23	1	0	65	5	427	4	-	78	2
24	1	0	65	5	403	4	-	78	2
25	1	0	56	8	389	4	-	76	2
26	1	0	52	4	357	4	-	62	2
27	1	0	48	0	327	4	-	50	3
28	1	0	48	0	327	4	-	52	4
29	1	0	63	27	503	4	-	106	2
30	1	0	51	15	415	4	-	82	2
31	1	0	49	13	397	4	-	74	2
32	1	0	45	9	369	4	-	66	2
33	1	0	52	28	473	4	-	100	2
34	1	0	46	22	435	4	-	84	2
35	1	0	46	22	409	4	-	74	2
36	1	0	42	18	387	4	-	72	2
37	1	0	42	18	361	4	-	64	2
38	1	0	40	16	383	4	-	72	2
39	1	0	40	16	381	4	-	72	2
40	1	0	40	16	371	4	-	66	4

(1, 7, 22, 70) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
41	1	0	40	16	367	4	-	64	2
42	1	0	40	16	361	4	-	60	3
43	1	0	40	16	359	4	-	66	3
44	1	0	38	14	385	4	-	70	2
45	1	0	38	14	371	4	-	68	2
46	1	0	36	12	331	4	-	58	2
47	1	0	34	10	329	4	-	52	2
48	1	0	32	8	323	4	-	48	4
49	1	0	32	8	299	4	-	44	2
50	1	0	35	23	379	4	-	70	2
51	1	0	35	23	367	4	-	68	2
52	1	0	33	21	369	4	-	64	2
53	1	0	56	56	697	4	0	148	2
54	1	0	42	42	529	4	0	114	2
55	1	0	34	34	515	4	0	114	2
56	1	0	32	32	471	4	0	84	2
57	1	0	32	32	413	4	0	82	2
58	1	0	28	28	399	4	0	74	3
59	1	0	28	28	379	4	0	62	3
60	1	0	28	28	367	4	0	68	2
61	1	0	26	26	403	4	0	76	4
62	1	0	26	26	353	4	0	66	2
63	1	0	24	24	355	4	0	60	2
64	1	0	24	24	347	4	0	54	3
65	1	0	24	24	343	4	0	56	5
66	1	0	22	22	359	4	0	64	2
67	1	0	16	16	321	4	0	50	2
68	1	0	16	16	295	4	0	42	3

(1, 7, 25, 52)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	214	10	787	3	-	-	1
2	1	1	106	22	571	3	-	-	2
3	1	1	79	31	431	3	-	-	2
4	1	1	71	23	383	3	-	-	2
5	1	1	72	36	419	3	-	-	3
6	1	1	39	15	303	3	-	-	3

(1, 7, 25, 52) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
7	1	0	120	0	657	4	-	136	2
8	1	0	91	7	525	4	-	108	2
9	1	0	85	1	463	4	-	90	3
10	1	0	85	1	445	4	-	88	3
11	1	0	92	20	559	4	-	124	2
12	1	0	78	6	467	4	-	94	3
13	1	0	72	0	387	4	-	72	2
14	1	0	65	5	419	4	-	76	2
15	1	0	65	5	393	4	-	76	2
16	1	0	63	3	415	4	-	76	3
17	1	0	63	3	393	4	-	76	3
18	1	0	49	13	385	4	-	76	3
19	1	0	45	9	337	4	-	60	3
20	1	0	45	9	333	4	-	58	2
21	1	0	43	7	353	4	-	60	2
22	1	0	43	7	351	4	-	56	2
23	1	0	43	7	351	4	-	58	2
24	1	0	39	3	339	4	-	54	2
25	1	0	39	3	331	4	-	46	3
26	1	0	39	3	323	4	-	50	3
27	1	0	44	20	411	4	-	78	3
28	1	0	44	20	403	4	-	78	2
29	1	0	40	16	367	4	-	68	2
30	1	0	40	16	365	4	-	60	3
31	1	0	40	16	363	4	-	66	3
32	1	0	40	16	357	4	-	66	3
33	1	0	40	16	353	4	-	60	2
34	1	0	35	23	393	4	-	74	2
35	1	0	35	23	389	4	-	74	2
36	1	0	33	21	385	4	-	68	3
37	1	0	33	21	367	4	-	66	3
38	1	0	58	58	733	4	0	154	2
39	1	0	32	32	369	4	0	74	2
40	1	0	30	30	405	4	0	78	3
41	1	0	30	30	383	4	0	70	3
42	1	0	26	26	377	4	0	64	3
43	1	0	26	26	359	4	0	62	3
44	1	0	24	24	347	4	0	62	3
45	1	0	24	24	321	4	0	56	4
46	1	0	22	22	311	4	0	54	3

(1, 7, 25, 52) (continued)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
47	1	0	18	18	329	4	0	50	2
48	1	0	18	18	309	4	0	46	2
49	1	0	16	16	301	4	0	40	3
50	1	0	16	16	299	4	0	44	3
51	1	0	16	16	299	4	0	42	3
52	1	0	16	16	293	4	0	38	3

(1, 7, 28, 43)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	126	18	519	3	-	-	1
2	1	1	63	39	429	3	-	-	2
3	1	1	50	38	355	3	-	-	2
4	1	1	23	23	265	3	-	-	3
5	1	0	85	1	455	4	-	92	2
6	1	0	72	0	395	4	-	72	3
7	1	0	71	11	435	4	-	90	2
8	1	0	67	7	415	4	-	80	2
9	1	0	63	3	393	4	-	72	2
10	1	0	63	3	375	4	-	72	3
11	1	0	49	13	391	4	-	76	2
12	1	0	45	9	337	4	-	62	2
13	1	0	40	16	351	4	-	64	2
14	1	0	36	12	335	4	-	56	2
15	1	0	31	19	327	4	-	56	2
16	1	0	31	19	311	4	-	56	3
17	1	0	29	17	343	4	-	60	2
18	1	0	42	42	529	4	0	114	2
19	1	0	24	24	331	4	0	54	3
20	1	0	22	22	349	4	0	64	3

(1, 7, 28*, 43)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	67	19	334	4	-	-	2
2	1	1	31	31	286	4	-	-	3
3	1	0	52	4	316	5	-	58	3
4	1	0	32	32	360	5	0	74	3
5	1	0	24	24	328	5	0	54	3

(1, 7, 34, 34)									
nr.	N_R	N_L	(S, s)	(S, c)	$(S, 0)$	$(V, 0)$	(V, v)	(S, v)	order
1	1	1	271	7	973	3	-	-	1
2	1	1	157	13	601	3	-	-	2
3	1	1	135	15	685	3	-	-	2
4	1	1	100	16	455	3	-	-	2
5	1	1	95	23	437	3	-	-	2
6	1	1	77	29	457	3	-	-	3
7	1	1	55	7	329	3	-	-	3
8	1	1	50	38	353	3	-	-	2
9	1	1	49	49	401	3	-	-	2
10	1	1	23	23	263	3	-	-	3
11	1	0	144	0	821	4	-	172	2
12	1	0	134	14	779	4	-	170	2
13	1	0	109	1	549	4	-	114	2
14	1	0	98	2	523	4	-	106	3
15	1	0	96	0	493	4	-	100	3
16	1	0	92	20	571	4	-	124	2
17	1	0	78	6	571	4	-	106	2
18	1	0	78	6	447	4	-	94	2
19	1	0	76	4	429	4	-	82	2
20	1	0	74	2	435	4	-	86	3
21	1	0	72	0	403	4	-	74	3
22	1	0	72	0	389	4	-	70	2
23	1	0	83	23	545	4	-	118	2
24	1	0	67	7	421	4	-	82	2
25	1	0	65	5	449	4	-	82	2
26	1	0	65	5	417	4	-	82	2
27	1	0	63	3	397	4	-	72	2
28	1	0	63	3	385	4	-	70	2
29	1	0	63	3	365	4	-	70	2
30	1	0	64	16	501	4	-	100	3
31	1	0	60	12	417	4	-	76	2
32	1	0	56	8	403	4	-	78	3
33	1	0	48	0	325	4	-	50	3
34	1	0	48	0	317	4	-	50	3
35	1	0	48	0	315	4	-	50	3
36	1	0	48	0	311	4	-	50	3
37	1	0	49	13	413	4	-	80	3
38	1	0	49	13	405	4	-	78	3
39	1	0	49	13	395	4	-	70	3
40	1	0	49	13	383	4	-	64	3