



# Example: Movie showing process of matched filtering



# Example: Cartoon bringing together data that is spread over multiple resources



# Example: An infographic that outlines the timeline for detection of GW170817

## GW170817

### Binary neutron star merger

A LIGO / Virgo gravitational wave detection with associated electromagnetic events observed by over 70 observatories.



- Distance: 130 million light years
- Discovered: 17 August 2017
- Type: Neutron star merger



**12:41:04 UTC**  
A gravitational wave from a binary neutron star merger is detected.

**gravitational wave signal**  
Two neutron stars, each the size of a city but with at least the mass of the sun, collided with each other.

#### gamma ray burst

A short gamma ray burst is an intense beam of gamma ray radiation which is produced just after the merger.

**+ 2 seconds**  
A gamma ray burst is detected.



GW170817 allows us to measure the expansion rate of the universe directly using gravitational waves for the first time.



Detecting gravitational waves from a neutron star merger allows us to find out more about the structure of these unusual objects.



This multimessenger event provides confirmation that neutron star mergers can produce short gamma ray bursts.



The observation of a kilonova allowed us to show that neutron star mergers could be responsible for the production of most of the heavy elements, like gold, in the universe.



Observing both electromagnetic and gravitational waves from the event provides compelling evidence that gravitational waves travel at the same speed as light.

#### kilonova

Decaying neutron-rich material creates a glowing kilonova, producing heavy metals like gold and platinum.

**+10 hours 52 minutes**  
A new bright source of optical light is detected in a galaxy called NGC 4993, in the constellation of Hydra.


**+11 hours 36 minutes**  
Infrared emission observed.

**+15 hours**  
Bright ultraviolet emission detected.

**+9 days**  
X-ray emission detected.

#### radio remnant

As material moves away from the merger it produces a shockwave in the interstellar medium - the tenuous material between stars. This produces emission which can last for years.




**+16 days**  
Radio emission detected.

credit: Daniel Williams

Example: A gif that shows the effects of different gravitational wave polarizations on a ring of test particles



Example:  
Effect of  
changing  
masses on  
gravitational  
wave signal



[http://demonstrations.wolfram.com/  
NewtonianGravitationalWaveChirpSignalFromMerger  
OfACompactBin/](http://demonstrations.wolfram.com/NewtonianGravitationalWaveChirpSignalFromMergerOfACompactBin/)